


**GOLDLINE™ METRIC Straight Lengths 3.2**

Medium/High Density Polyethylene - PE80 / PE100 Pipe. Metric size on the OUTSIDE DIAMETER in the classes and lengths indicated below. (sized to AS/NZS 4130). These will be packed in quantities which can be handled - inquire for pack quantities.

|             | PRODUCT CODE | LENGTH | PN   | DESCRIPTION<br><i>Nominal pack size</i>                         | Wt kg  |  | Availability |              |
|-------------|--------------|--------|------|-----------------------------------------------------------------|--------|--|--------------|--------------|
| <b>16mm</b> | GAM12016006  | 6      | 12.5 | GOLDLINE METRIC; PN12.5 16mmOD x 6M<br><i>6m L x 0.02m OD</i>   | 0.5kg  |  | NS           | <b>3.2.1</b> |
|             | GAM12016012  | 12     | 12.5 | GOLDLINE METRIC; PN12.5 16mmOD x 12M<br><i>12m L x 0.02m OD</i> | 1kg    |  | NS           |              |
| <b>20mm</b> | GAM12020006  | 6      | 12.5 | GOLDLINE METRIC; PN12.5 20mmOD x 6M<br><i>6m L x 0.03m OD</i>   | 0.6kg  |  | NS           | <b>3.2.2</b> |
|             | GAM12020012  | 12     | 12.5 | GOLDLINE METRIC; PN12.5 20mmOD x 12M<br><i>12m L x 0.03m OD</i> | 1.2kg  |  | NS           |              |
| <b>25mm</b> | GAM12025006  | 6      | 12.5 | GOLDLINE METRIC; PN12.5 25mmOD x 6M<br><i>6m L x 0.03m OD</i>   | 0.9kg  |  | NS           | <b>3.2.3</b> |
|             | GAM12025012  | 12     | 12.5 | GOLDLINE METRIC; PN12.5 25mmOD x 12M<br><i>12m L x 0.03m OD</i> | 1.7kg  |  | NS           |              |
| <b>32mm</b> | GAM12032006  | 6      | 12.5 | GOLDLINE METRIC; PN12.5 32mmOD x 6M<br><i>6m L x 0.04m OD</i>   | 1.4kg  |  | NS           | <b>3.2.4</b> |
|             | GAM12032012  | 12     | 12.5 | GOLDLINE METRIC; PN12.5 32mmOD x 12M<br><i>12m L x 0.04m OD</i> | 2.8kg  |  | NS           |              |
| <b>40mm</b> | GAM12040006  | 6      | 12.5 | GOLDLINE METRIC; PN12.5 40mmOD x 6M<br><i>6m L x 0.05m OD</i>   | 2.2kg  |  | NS           | <b>3.2.5</b> |
|             | GAM12040012  | 12     | 12.5 | GOLDLINE METRIC; PN12.5 40mmOD x 12M<br><i>12m L x 0.05m OD</i> | 4.3kg  |  | NS           |              |
| <b>50mm</b> | GAM12050006  | 6      | 12.5 | GOLDLINE METRIC; PN12.5 50mmOD x 6M<br><i>6m L x 0.06m OD</i>   | 3.3kg  |  | NS           | <b>3.2.6</b> |
|             | GAM12050012  | 12     | 12.5 | GOLDLINE METRIC; PN12.5 50mmOD x 12M<br><i>12m L x 0.06m OD</i> | 6.6kg  |  | NS           |              |
| <b>63mm</b> | GAM12063006  | 6      | 12.5 | GOLDLINE METRIC; PN12.5 63mmOD x 6M<br><i>6m L x 0.07m OD</i>   | 5.3kg  |  | NS           | <b>3.2.7</b> |
|             | GAM12063012  | 12     | 12.5 | GOLDLINE METRIC; PN12.5 63mmOD x 12M<br><i>12m L x 0.07m OD</i> | 10.5kg |  | NS           |              |
| <b>75mm</b> | GAM12075006  | 6      | 12.5 | GOLDLINE METRIC; PN12.5 75mmOD x 6M<br><i>6m L x 0.08m OD</i>   | 7.3kg  |  | NS           | <b>3.2.8</b> |
|             | GAM12075012  | 12     | 12.5 | GOLDLINE METRIC; PN12.5 75mmOD x 12M<br><i>12m L x 0.08m OD</i> | 14.6kg |  | NS           |              |
| <b>90mm</b> | GAM06090012  | 12     | 6.3  | GOLDLINE METRIC; PN6.3 90mmOD x 12M<br><i>12m L x 0.1m OD</i>   | 11.7kg |  | NS           | <b>3.2.9</b> |
|             | GAM06090012  | 12     | 6.3  | GOLDLINE METRIC; PN6.3 90mmOD x 12M<br><i>12m L x 0.1m OD</i>   | 11.7kg |  | NS           |              |
|             | GAM08090006  | 6      | 8    | GOLDLINE METRIC; PN8 90mmOD x 6M<br><i>6m L x 0.1m OD</i>       | 7.1kg  |  | NS           |              |
|             | GAM08090012  | 12     | 8    | GOLDLINE METRIC; PN8 90mmOD x 12M<br><i>12m L x 0.1m OD</i>     | 14.2kg |  | NS           |              |
|             | GAM10090006  | 6      | 10   | GOLDLINE METRIC; PN10 90mmOD x 6M<br><i>6m L x 0.1m OD</i>      | 8.8kg  |  | NS           |              |
|             | GAM10090012  | 12     | 10   | GOLDLINE METRIC; PN10 90mmOD x 12M<br><i>12m L x 0.1m OD</i>    | 17.5kg |  | NS           |              |
|             | GAM12090006  | 6      | 12.5 | GOLDLINE METRIC; PN12.5 90mmOD x 6M<br><i>6m L x 0.1m OD</i>    | 10.5kg |  | NS           |              |
|             | GAM12090012  | 12     | 12.5 | GOLDLINE METRIC; PN12.5 90mmOD x 12M<br><i>12m L x 0.1m OD</i>  | 21kg   |  | NS           |              |
|             | GAM16090006  | 6      | 16   | GOLDLINE METRIC; PN16 90mmOD x 6M<br><i>6m L x 0.1m OD</i>      | 12.8kg |  | NS           |              |
|             | GAM16090012  | 12     | 16   | GOLDLINE METRIC; PN16 90mmOD x 12M<br><i>12m L x 0.1m OD</i>    | 25.5kg |  | NS           |              |



NS indicates "nominal stock" - may not be in stock, minimum order quantity may be required

**LIFE TIME WARRANTY**  
DM Plastics & Steel warrants that at the time of dispatch of the goods, they conformed to the stringent DM Plastics & Steel Quality Control Specification. Pipes are batch Natta Tested to comply. Products should be installed in a 'workman-like' manner using 'best practice'. Contact our staff for helpful best practice hints.



**DM Plastics & Steel Pty Ltd** ABN: 95 572 173 975  
Ph 08 8349 7654 Fax 08 8349 5431  
Web [www.dmplastics.com.au](http://www.dmplastics.com.au) Email [sales@dmplastics.com.au](mailto:sales@dmplastics.com.au)



The suitability for use should be determined by Users according to their individual circumstances. All dimensions and weights provided are nominal

**GOLDLINE™ METRIC Straight Lengths 110mm, 125mm & 140mm**


**3.2**

Medium/High Density Polyethylene - PE80 / PE100 Pipe. Metric size on the OUTSIDE DIAMETER in the classes and lengths indicated below. (sized to AS/NZS 4130). These will be packed in quantities which can be handled - inquire for pack quantities.

**110mm**

| PRODUCT CODE             | LENGTH | PN   | DESCRIPTION                                                     | Availability |
|--------------------------|--------|------|-----------------------------------------------------------------|--------------|
| <i>Nominal pack size</i> |        |      |                                                                 |              |
|                          |        |      | <i>Wt kg</i>                                                    |              |
| GAM06110006              | 6      | 6.3  | GOLDLINE METRIC; PN6.3 110mmOD x 6M<br>6m L x 0.12m OD 8.8kg    | NS           |
| GAM06110012              | 12     | 6.3  | GOLDLINE METRIC; PN6.3 110mmOD x 12M<br>12m L x 0.12m OD 17.5kg | NS           |
| GAM08110006              | 6      | 8    | GOLDLINE METRIC; PN8 110mmOD x 6M<br>6m L x 0.12m OD 10.7kg     | NS           |
| GAM08110012              | 12     | 8    | GOLDLINE METRIC; PN8 110mmOD x 12M<br>12m L x 0.12m OD 21.3kg   | NS           |
| GAM10110006              | 6      | 10   | GOLDLINE METRIC; PN10 110mmOD x 6M<br>6m L x 0.12m OD 13kg      | NS           |
| GAM10110012              | 12     | 10   | GOLDLINE METRIC; PN10 110mmOD x 12M<br>12m L x 0.12m OD 26kg    | NS           |
| GAM12110006              | 6      | 12.5 | GOLDLINE METRIC; PN12 110mmOD x 6M<br>6m L x 0.12m OD 15.7kg    | NS           |
| GAM12110012              | 12     | 12.5 | GOLDLINE METRIC; PN12 110mmOD x 12M<br>12m L x 0.12m OD 31.4kg  | NS           |
| GAM16110006              | 6      | 16   | GOLDLINE METRIC; PN16 110mmOD x 6M<br>6m L x 0.12m OD 18.9kg    | NS           |
| GAM16110012              | 12     | 16   | GOLDLINE METRIC; PN16 110mmOD x 12M<br>12m L x 0.12m OD 37.8kg  | NS           |


**3.2.10**



**125mm**

|             |    |      |                                                                  |    |
|-------------|----|------|------------------------------------------------------------------|----|
| GAM06125006 | 6  | 6.3  | GOLDLINE METRIC; PN6.3 125mmOD x 100M<br>6m L x 0.13m OD 11.1kg  | NS |
| GAM06125012 | 12 | 6.3  | GOLDLINE METRIC; PN6.3 125mmOD x 12M<br>12m L x 0.13m OD 22.1kg  | NS |
| GAM08125006 | 6  | 8    | GOLDLINE METRIC; PN8 125mmOD x 6M<br>6m L x 0.13m OD 13.6kg      | NS |
| GAM08125012 | 12 | 8    | GOLDLINE METRIC; PN8 125mmOD x 12M<br>12m L x 0.13m OD 27.2kg    | NS |
| GAM10125006 | 6  | 10   | GOLDLINE METRIC; PN10 125mmOD x 6M<br>6m L x 0.13m OD 16.6kg     | NS |
| GAM10125012 | 12 | 10   | GOLDLINE METRIC; PN10 125mmOD x 12M<br>12m L x 0.13m OD 33.2kg   | NS |
| GAM12125006 | 6  | 12.5 | GOLDLINE METRIC; PN12.5 125mmOD x 6M<br>6m L x 0.13m OD 20.3kg   | NS |
| GAM12125012 | 12 | 12.5 | GOLDLINE METRIC; PN12.5 125mmOD x 12M<br>12m L x 0.13m OD 40.5kg | NS |
| GAM16125006 | 6  | 16   | GOLDLINE METRIC; PN16 125mmOD x 6M<br>6m L x 0.13m OD 24.6kg     | NS |
| GAM16125012 | 12 | 16   | GOLDLINE METRIC; PN16 125mmOD x 12M<br>12m L x 0.13m OD 49.1kg   | NS |


**3.2.11**



**140mm**

|             |    |      |                                                                 |    |
|-------------|----|------|-----------------------------------------------------------------|----|
| GAM06140006 | 6  | 6.3  | GOLDLINE METRIC; PN6.3 140mmOD x 6M<br>6m L x 0.15m OD 13.9kg   | NS |
| GAM06140012 | 12 | 6.3  | GOLDLINE METRIC; PN6.3 140mmOD x 12M<br>12m L x 0.15m OD 27.8kg | NS |
| GAM08140006 | 6  | 8    | GOLDLINE METRIC; PN8 140mmOD x 6M<br>6m L x 0.15m OD 17kg       | NS |
| GAM08140012 | 12 | 8    | GOLDLINE METRIC; PN8 140mmOD x 12M<br>12m L x 0.15m OD 34kg     | NS |
| GAM10140006 | 6  | 10   | GOLDLINE METRIC; PN10 140mmOD x 6M<br>6m L x 0.15m OD 20.8kg    | NS |
| GAM10140012 | 12 | 10   | GOLDLINE METRIC; PN10 140mmOD x 12M<br>12m L x 0.15m OD 41.6kg  | NS |
| GAM12140006 | 6  | 12.5 | GOLDLINE METRIC; PN12 140mmOD x 6M<br>6m L x 0.15m OD 25.4kg    | NS |
| GAM12140012 | 12 | 12.5 | GOLDLINE METRIC; PN12 140mmOD x 12M<br>12m L x 0.15m OD 50.7kg  | NS |
| GAM16140006 | 6  | 16   | GOLDLINE METRIC; PN16 140mmOD x 6M<br>6m L x 0.15m OD 30.6kg    | NS |
| GAM16140012 | 12 | 16   | GOLDLINE METRIC; PN16 140mmOD x 12M<br>12m L x 0.15m OD 61.1kg  | NS |

**3.2.12**



NS indicates "nominal stock" - may not be in stock, minimum order quantity may be required

**LIFE TIME WARRANTY**  
DM Plastics & Steel warrants that at the time of dispatch of the goods, they conformed to the stringent DM Plastics & Steel Quality Control Specification. Pipes are batch Natta Tested to comply. Products should be installed in a 'workman-like' manner using 'best practice'. Contact our staff for helpful best practice hints.



**DM Plastics & Steel Pty Ltd** ABN: 95 572 173 975  
Ph 08 8349 7654 Fax 08 8349 5431  
Web www.dmplastics.com.au Email sales@dmplastics.com.au




The suitability for use should be determined by Users according to their individual circumstances. All dimensions and weights provided are nominal

**GOLDLINE™ METRIC 160mm lengths; Skinned Pipe & Striped Pipe 3.2**

Medium/High Density Polyethylene - PE80 / PE100 Pipe. Metric size on the OUTSIDE DIAMETER in the classes and lengths indicated below. (sized to AS/NZS 4130). These will be packed in quantities which can be handled - inquire for pack quantities.

| 160mm | PRODUCT CODE | LENGTH | PN   | DESCRIPTION                                                    | Availability |
|-------|--------------|--------|------|----------------------------------------------------------------|--------------|
|       |              |        |      | <i>Nominal pack size</i>                                       | <i>Wt kg</i> |
|       | GAM06160006  | 6      | 6.3  | GOLDLINE METRIC; PN6 160mmOD x 6M<br><i>6m L x 0.17m OD</i>    | NS           |
|       | GAM06160012  | 12     | 6.3  | GOLDLINE METRIC; PN6 160mmOD x 12M<br><i>12m L x 0.17m OD</i>  | NS           |
|       | GAM08160006  | 6      | 8    | GOLDLINE METRIC; PN8 160mmOD x 6M<br><i>6m L x 0.17m OD</i>    | NS           |
|       | GAM08160012  | 12     | 8    | GOLDLINE METRIC; PN8 160mmOD x 12M<br><i>12m L x 0.17m OD</i>  | NS           |
|       | GAM10160006  | 6      | 10   | GOLDLINE METRIC; PN10 160mmOD x 6M<br><i>6m L x 0.17m OD</i>   | NS           |
|       | GAM10160012  | 12     | 10   | GOLDLINE METRIC; PN10 160mmOD x 12M<br><i>12m L x 0.17m OD</i> | NS           |
|       | GAM12160006  | 6      | 12.5 | GOLDLINE METRIC; PN12 160mmOD x 6M<br><i>6m L x 0.17m OD</i>   | NS           |
|       | GAM12160012  | 12     | 12.5 | GOLDLINE METRIC; PN12 160mmOD x 12M<br><i>12m L x 0.17m OD</i> | NS           |
|       | GAM16160006  | 6      | 16   | GOLDLINE METRIC; PN16 160mmOD x 6M<br><i>6m L x 0.17m OD</i>   | NS           |
|       | GAM16160012  | 12     | 16   | GOLDLINE METRIC; PN16 160mmOD x 12M<br><i>12m L x 0.17m OD</i> | NS           |

**3.2.13**



NS indicates "nominal stock" - may not be in stock, minimum order quantity may be required

**GOLDLINE™ METRIC SKINNED PIPE 3.3.1**

Medium/High Density Polyethylene - PE80 / PE100 Pipe, Conduit. Metric size on the OUTSIDE DIAMETER (sized to AS/NZS 4130). With an **OUTER SKIN** to designate the different uses. See Below:

|        |                                                  |
|--------|--------------------------------------------------|
| WHITE  | COMMUNICATION                                    |
| ORANGE | ELECTRICAL CONDUIT                               |
| WHITE  | ABOVE GROUND PRESSURE PIPE - Low heat absorption |
| LILAC  | RECYCLED WATER                                   |
| BLUE   | COMPRESSED AIR                                   |

Available in all metric sizes with minimum orders. Prices are available on application.

**GOLDLINE™ METRIC STRIPED PIPE 3.3.2**

Medium/High Density Polyethylene - PE80 / PE100 Pipe, Conduit. Metric size on the OUTSIDE DIAMETER (sized to AS/NZS 4130). With **OUTER STRIPES** to designate the different uses. See Below:

|       |                |
|-------|----------------|
| WHITE | COMMUNICATION  |
| LILAC | RECYCLED WATER |

Available in all metric sizes with minimum orders. Prices are available on application.

**LIFE TIME WARRANTY**  
DM Plastics & Steel warrants that at the time of dispatch of the goods, they conformed to the stringent DM Plastics & Steel Quality Control Specification. Pipes are batch NATA Tested to comply. Products should be installed in a 'workman-like' manner using 'best practice'. Contact our staff for helpful best practice hints.



**DM Plastics & Steel Pty Ltd** ABN: 95 572 173 975  
**Ph 08 8349 7654 Fax 08 8349 5431**  
 Web [www.dmplastics.com.au](http://www.dmplastics.com.au) Email [sales@dmplastics.com.au](mailto:sales@dmplastics.com.au)



The suitability for use should be determined by Users according to their individual circumstances. All dimensions and weights provided are nominal