


**DRIVE-IN FENCE POST - BLACK - 1.24m (4')** **1.1.1**




INSULATED TOP, GALV STEEL BASE. 940mm out of the ground. Install using a standard slide hammer. Notched every inch to provide reliable wire positioning. Wires held on using 'snap-on' or 'P-Type' wire clips.

PRODUCT CODE	DESCRIPTION	Wt kg	LIST exc GST	LIST inc GST	
	<i>nominal pack size</i>				
PFP1240B25	POLYLOK-FENCE POST; 1240mm B25 0.94m L x 0.3m W x 0.3m H	38.5kg			PACK 25
	A single Insulate Steel Fence Post would be				EACH

A single Insulate Steel Fence Post would be

Subject to distributor discounts


"B" followed by a number eg "- B25" indicates that the price is for bundles of that quantity



shown with 5

ground level  
shown with PD815

**DRIVE-IN FENCE POST - BLACK - 1.37m (4'6")**




INSULATED TOP, GALV STEEL BASE. 1070mm out of the ground. Install using a standard slide hammer. Notched every inch to provide reliable wire positioning. Wires held on using 'snap-on' or 'P-Type' wire clips.

PRODUCT CODE	DESCRIPTION	Wt kg	LIST exc GST	LIST inc GST	
	<i>nominal pack size</i>				
PFP1370B25	POLYLOK-FENCE POST; 1370mm B25 1.07m L x 0.3m W x 0.3m H	43.8kg			PACK 25
	A single Insulate Steel Fence Post would be				EACH

A single Insulate Steel Fence Post would be

Subject to distributor discounts


"B" followed by a number eg "- B25" indicates that the price is for bundles of that quantity



shown with 5  
wires attached

ground level  
shown with PD940  
Poly-dropper

**DRIVE-IN FENCE POST - BLACK - 1.47m (4'10")**




INSULATED TOP, GALV STEEL BASE. 1170mm out of the ground. Install using a standard slide hammer. Notched every inch to provide reliable wire positioning. Wires held on using 'snap-on' or 'P-Type' wire clips.

PRODUCT CODE	DESCRIPTION	Wt kg	LIST exc GST	LIST inc GST	
	<i>nominal pack size</i>				
PFP1470B25	POLYLOK-FENCE POST; 1470mm B25 1.17m L x 0.3m W x 0.3m H	45.7kg			PACK 25
	A single Insulate Steel Fence Post would be				EACH

A single Insulate Steel Fence Post would be

Subject to distributor discounts

"B" followed by a number eg "- B25" indicates that the price is for bundles of that quantity



shown with 6  
wires attached

shown with PD1070  
Poly-dropper




**DM Plastics & Steel Pty Ltd** ABN: 95 572 173 975  
**Ph 08 8349 7654 Fax 08 8349 5431**  
 Web [www.dmplastics.com.au](http://www.dmplastics.com.au) Email [sales@dmplastics.com.au](mailto:sales@dmplastics.com.au)




The suitability for use should be determined by Users according to their individual circumstances. All dimensions and weights provided are nominal

Polywire spacers that clip to existing or new fence wires - notched for accurate wire position. Insulated for use on electric fences.




PRODUCT CODE	DESCRIPTION <i>nominal pack size</i>	Wt kg	LIST	LIST	
			exc GST	inc GST	
PD635B25	POLY-DROPPER; 635mm -B25 <i>0.635m L x 0.2m W x 0.15m H</i>	5.2kg			
PD815B25	POLY-DROPPER; 815mm -B25 <i>0.815m L x 0.2m W x 0.15m H</i>	6.6kg			
PD940B25	POLY-DROPPER; 940mm -B25 <i>0.94m L x 0.2m W x 0.15m H</i>	7.6kg			
PD1070B25	POLY-DROPPER; 1070mm -B25 <i>1.07m L x 0.2m W x 0.15m H</i>	8.7kg			
PD1170B25	POLY-DROPPER; 1170mm -B25 <i>1.17m L x 0.2m W x 0.15m H</i>	9.5kg			
PD1250B25	POLY-DROPPER; 1250mm -B25 <i>1.25m L x 0.2m W x 0.15m H</i>	10.1kg			
PD1370B25	POLY-DROPPER; 1370mm -B25 <i>1.37m L x 0.2m W x 0.15m H</i>	11.1kg			
PD1525B25	POLY-DROPPER; 1525mm -B25 <i>1.525m L x 0.2m W x 0.15m H</i>	12.4kg			
PD1800B25	POLY-DROPPER; 1800mm -B25 <i>1.8m L x 0.2m W x 0.15m H</i>	14.6kg			
PD2400B25	POLY-DROPPER; 2400mm -B25 <i>2.4m L x 0.2m W x 0.15m H</i>	19.4kg			
PDCB200	POLY-DROPPER CLIP; SNAP-ON; -B200 <i>0.3m L x 0.25m W x 0.08m H</i>	1.27kg			
PDCB1000	POLY-DROPPER CLIP; SNAP-ON; -B1000 <i>0.5m L x 0.35m W x 0.14m H</i>	6.28kg			
PDCPB200	POLY-DROPPER CLIP; P-TYPE; -B200 <i>0.5m L x 0.45m W x 0.4m H</i>	1.3 kg			
PDCPB1000	POLY-DROPPER CLIP; P-TYPE; -B1000 <i>0.5m L x 0.45m W x 0.4m H</i>	6.7 kg			




"B" followed by a number eg "- B1000" indicates that the price is for bundles of that quantity

A polywire sleeve that slides over a galvanised C-Post - notched for accurate wire positioning. Insulated for use on electric fences or may be used as a larger spacer that clips to existing or new fence wires



PRODUCT CODE	DESCRIPTION <i>nominal pack size</i>	Wt kg	LIST	LIST	
			exc GST	inc GST	
PD635MB25	MAXI POLY-DROPPER; 635mm -B25 <i>0.635m L x 0.3m W x 0.2m H</i>	6.6kg			
PD815MB25	MAXI POLY-DROPPER; 815mm -B25 <i>0.815m L x 0.3m W x 0.2m H</i>	8.4kg			
PD940MB25	MAXI POLY-DROPPER; 940mm -B25 <i>0.94m L x 0.3m W x 0.2m H</i>	9.7kg			
PD1070MB25	MAXI POLY-DROPPER; 1070mm -B25 <i>1.07m L x 0.3m W x 0.2m H</i>	11kg			
PD1170MB25	MAXI POLY-DROPPER; 1170mm -B25 <i>1.17m L x 0.3m W x 0.2m H</i>	12.1kg			
PD1250MB25	MAXI POLY-DROPPER; 1250mm -B25 <i>1.25m L x 0.3m W x 0.2m H</i>	12.9kg			
PD1370MB25	MAXI POLY-DROPPER; 1370mm -B25 <i>1.37m L x 0.3m W x 0.2m H</i>	14.1kg			
PD1525MB25	MAXI POLY-DROPPER; 1525mm -B25 <i>1.525m L x 0.3m W x 0.2m H</i>	15.7kg			
PD1800MB25	MAXI POLY-DROPPER; 1800mm -B25 <i>1.8m L x 0.3m W x 0.2m H</i>	18.6kg			
PD2400MB25	MAXI POLY-DROPPER; 2400mm -B25 <i>2.4m L x 0.3m W x 0.2m H</i>	24.7 kg			
PDCMB200	MAXI-POLY DROPPER CLIP; SNAP-ON; -B200 <i>0.37m L x 0.3m W x 0.13m H</i>	1.85kg			
PDCMB1000	MAXI-POLY DROPPER CLIP; SNAP-ON; -B1000 <i>0.5m L x 0.4m W x 0.23m H</i>	#VALUE!			
PDCPMB200	MAXI-POLY DROPPER CLIP; P-TYPE; -B200 <i>0.45m L x 0.35m W x 0.12m H</i>	2.31kg			
PDCPMB1000	MAXI-POLY DROPPER CLIP; P-TYPE; -B1000 <i>0.55m L x 0.45m W x 0.22m H</i>	9.8 kg			



"B" followed by a number eg "- B1000" indicates that the price is for bundles of that quantity




**DM Plastics & Steel Pty Ltd** ABN: 95 572 173 975  
**Ph 08 8349 7654 Fax 08 8349 5431**  
 Web [www.dmplastics.com.au](http://www.dmplastics.com.au) Email [sales@dmplastics.com.au](mailto:sales@dmplastics.com.au)




The suitability for use should be determined by Users according to their individual circumstances. All dimensions and weights provided are nominal

A polywire sleeve that slides over a galvanised C-Post - Holes accept clips which allow wires to slide along the fence each way, minimising wire breaks. Insulated for use on electric fences.



PRODUCT CODE	DESCRIPTION	Wt kg	LIST exc GST	LIST inc GST	
	<i>nominal pack size</i>				
PG635MB25	MAXI - POLY GARD; 635mm -B25 0.635m L x 0.3m W x 0.2m H	6.6kg			
PG815MB25	MAXI - POLY GARD; 815mm -B25 0.815m L x 0.3m W x 0.2m H	8.4kg			
PG940MB25	MAXI - POLY GARD; 940mm -B25 0.94m L x 0.3m W x 0.2m H	9.7kg			
PG1070MB25	MAXI - POLY GARD; 1070mm -B25 1.07m L x 0.3m W x 0.2m H	11kg			
PG1170MB25	MAXI - POLY GARD; 1170mm -B25 1.17m L x 0.3m W x 0.2m H	12.1kg			
PG1250MB25	MAXI - POLY GARD; 1250mm -B25 1.25m L x 0.3m W x 0.2m H	12.9kg			
PG1370MB25	MAXI - POLY GARD; 1370mm -B25 1.37m L x 0.3m W x 0.2m H	14.1kg			
PG1525MB25	MAXI - POLY GARD; 1525mm -B25 1.525m L x 0.3m W x 0.2m H	15.7kg			
PG1800MB25	MAXI - POLY GARD; 1800mm -B25 1.8m L x 0.3m W x 0.2m H	18.6kg			
PG2400MB25	MAXI - POLY GARD; 2400mm -B25 2.4m L x 0.3m W x 0.2m H	24.7kg			
SFPGCB200	POLY GARD CLIPS; -B200 0.15m L x 0.15m W x 0.03m H				
SFPGCB1000	POLY GARD CLIPS; -B1000 0.3m L x 0.25m W x 0.05m H				



"B" followed by a number eg "- B1000" indicates that the price is for bundles of that quantity



**DM Plastics & Steel Pty Ltd** ABN: 95 572 173 975  
**Ph 08 8349 7654 Fax 08 8349 5431**  
 Web [www.dmplastics.com.au](http://www.dmplastics.com.au) Email [sales@dmplastics.com.au](mailto:sales@dmplastics.com.au)



The suitability for use should be determined by Users according to their individual circumstances. All dimensions and weights provided are nominal


# POLYLOK™ STOCK FENCE SYSTEM

MAY 05


## POLY BATTEN - BLACK

## FENCE WIRE SPACER

1.1.6



Heavy duty poly fence battens. Used as a wire spacer between fence posts. Holes allow fence wires to slide each way, minimising wire breaks. Insulated for use on electric fences. Tie off to top and bottom fence wire. Custom lengths purchased by the metre. Minimum orders will apply.




PRODUCT CODE	DESCRIPTION	Wt kg	LIST	LIST	
			exc GST	inc GST	
	<i>nominal pack size</i>				
PBH	POLY-BATTEN; CUST-HOLE; 2.2mm; perM	0.3kg			
PBNH	POLY-BATTEN; NO-HOLE; 2.2mm; perM	0.3kg			
PB1015B25	POLY-BATTEN; NO-HOLE; 1015mm -B25 1.015m L x 0.26m W x 0.2m H	7kg			
PB1145B25	POLY-BATTEN; NO-HOLE; 1145mm -B25 1.145m L x 0.27m W x 0.2m H	7.9kg			
PB1015HB25	POLY-BATTEN; 8-HOLE; TYPE-1 1015mm -B25 1.015m L x 0.26m W x 0.2m H	7.0 kg			

\*"B" followed by a number eg " B1000" indicates that the price is for bundles of that quantity

## C-POST™

## GALVANISED STEEL FENCE POST 1.1.7


Heavy galvanised steel fence posts, "lanolin" coated to resist corrosive environments. Driven in like star type posts.




\* Poly C-Post sleeve for extra salt corrosion resistance (optional)

PRODUCT CODE	DESCRIPTION	Wt kg	LIST	LIST	
			exc GST	inc GST	
	<i>nominal pack size</i>				
CP940B25	C-POST; GALVANISED; 940mm -B25 0.94m L x 0.2m W x 0.1m H	29kg			
CP1070B25	C-POST; GALVANISED; 1070mm -B25 1.07m L x 0.2m W x 0.1m H	34.8kg			
CP1220B25	C-POST; GALVANISED; 1220mm -B25 1.22m L x 0.2m W x 0.1m H	39.7kg			
CP1370B25	C-POST; GALVANISED; 1370mm -B25 1.37m L x 0.2m W x 0.1m H	44.5kg			
CP1520B25	C-POST; GALVANISED; 1520mm -B25 1.52m L x 0.2m W x 0.1m H	49.4kg			
CP1680B25	C-POST; GALVANISED; 1680mm -B25 1.68m L x 0.2m W x 0.1m H	54.6kg			
CP1830B25	C-POST; GALVANISED; 1830mm -B25 1.83m L x 0.2m W x 0.1m H	59.5kg			
CP1980B25	C-POST; GALVANISED; 1980mm -B25 1.98m L x 0.2m W x 0.1m H	64.3kg			
CP2130B25	C-POST; GALVANISED; 2130mm -B25 2.13m L x 0.2m W x 0.1m H	69.2kg			
CP2250B25	C-POST; GALVANISED; 2250mm -B25 2.25m L x 0.2m W x 0.1m H	73.1kg			
CP2440B25	C-POST; GALVANISED; 2440mm -B25 2.44m L x 0.2m W x 0.1m H	79.3kg			
CP3000B25	C-POST; GALVANISED; 3000mm -B25 3m L x 0.2m W x 0.1m H	97.5 kg			

\*"B" followed by a number eg " B1000" indicates that the price is for bundles of that quantity



C-Posts with different hole configurations and lengths may be made for your requirements. Contact our sales department for pricing. Minimum orders will apply.



CPWB100	C-POST CLIP; (WIRE) -B100 0.08m L x 0.15m W x 0.15m H				
CPWB1000	C-POST CLIP; (WIRE) -B1000 0.3m L x 0.23m W x 0.04m H	3.69kg			
CPEYEHOOKB25	C-POST INSULATOR - EYE HOOK & TUBE; -B25 0.27m L x 0.25m W x 0.03m H	0.64kg			
CPHPB1000	C-POST HAIR PIN; 180mm -B1000 0.5m L x 0.4m W x 0.08m H	14.3 kg			
* CPPS450B25	C-POST SLEEVE; SALT-RESIST; 450mm B25 0.45m L x 0.21m W x 0.27m H	1.9 kg			




## AG-BAR

## GALVANISED STEEL C-SECTION BAR 1.1.8



Steel C-section bar for agricultural uses. Heavy galvanised and lanolin coated to resist corrosive environments. Purchase any length in increments of 50mm. Minimum orders will apply.

PRODUCT CODE	DESCRIPTION	Wt kg	LIST	LIST	
			exc GST	inc GST	
	<i>nominal pack size</i>				
ABH	AG BAR WITH HOLES; perM	1.3kg			
ABNH	AG BAR WITH NO HOLES; perM	1.3 kg			



DM Plastics & Steel Pty Ltd ABN: 95 572 173 975  
Ph 08 8349 7654 Fax 08 8349 5431  
Web [www.dmplastics.com.au](http://www.dmplastics.com.au) Email [sales@dmplastics.com.au](mailto:sales@dmplastics.com.au)



The suitability for use should be determined by Users according to their individual circumstances. All dimensions and weights provided are nominal