



**POLYMAX RECTANGULAR POST SLEEVES**

**2.1.1**

A heavy duty rectangular sleeve that easily fits over (3"x2") oyster frame posts for protection against rot and borers. UV stabilised, black. A special white post is available for markers.



PRODUCT CODE	DESCRIPTION			
<i>Nominal pack size</i>		<i>Wt kg</i>		
PM90551510	P-MAX POST SLVE;1.5mm;90mm x 55mm x 1.0M <i>1m L x m W x m H</i>	0.5kg		NS
PM90551512	P-MAX POST SLVE;1.5mm;90mm x 55mm x 1.2M <i>1.2m L x m W x m H</i>	0.6kg		NS
PM90551514	P-MAX POST SLVE;1.5mm;90mm x 55mm x 1.4M <i>1.4m L x m W x m H</i>	0.7kg		NS
PM90551516	P-MAX POST SLVE;1.5mm;90mm x 55mm x 1.6M <i>1.6m L x m W x m H</i>	0.8kg		NS
PM90551518	P-MAX POST SLVE;1.5mm;90mm x 55mm x 1.8M <i>1.8m L x m W x m H</i>	0.9kg		NS
PM90551520	P-MAX POST SLVE;1.5mm;90mm x 55mm x 2.0M <i>2m L x m W x m H</i>	1kg		NS
PM90551560	P-MAX POST SLVE;1.5mm;90mm x 55mm x 6.0M <i>6m L x m W x m H</i>	2.9kg		NS
PM9562306W	P-MAX POST;WHITE;3.0mm;95mm x 62mm x 6.0M <i>6m L x m W x m H</i>	5kg		NS



**POLYMAX ROUND POST SLEEVE**

**2.1.2**

A heavy duty UV stabilised tube supplied in lay-flat to sleeve irregular/round oyster posts. Black.




PRODUCT CODE	DESCRIPTION			
<i>pack size</i>		<i>Wt kg</i>		
PM01051560	P-MAX POST SLVE 105mm DIA x 0.7mm x 6.0M	1.6kg		


**POLYMAX SQUARE POST SLEEVES**

**2.1.3**

A heavy duty square sleeve that easily fits over (3"x3") oyster frame posts for protection against rot and borers. UV stabilised, black. A special white post is available for markers. Also in 2"x2".




PRODUCT CODE	DESCRIPTION			
<i>Nominal pack size</i>		<i>Wt kg</i>		
PM90901510	P-MAX POST SLVE;1.5mm;90mm x 90mm x 1.0M <i>1m L x m W x m H</i>	0.6kg		NS
PM90901512	P-MAX POST SLVE;1.5mm;90mm x 90mm x 1.2M <i>1.2m L x m W x m H</i>	0.7kg		NS
PM90901514	P-MAX POST SLVE;1.5mm;90mm x 90mm x 1.4M <i>1.4m L x m W x m H</i>	0.8kg		NS
PM90901516	P-MAX POST SLVE;1.5mm;90mm x 90mm x 1.6M <i>1.6m L x m W x m H</i>	0.9kg		NS
PM90901518	P-MAX POST SLVE;1.5mm;90mm x 90mm x 1.8M <i>1.8m L x m W x m H</i>	1kg		NS
PM90901520	P-MAX POST SLVE;1.5mm;90mm x 90mm x 2.0M <i>2m L x m W x m H</i>	1.1kg		NS
PM90901560	P-MAX POST SLVE;1.5mm;90mm x 90mm x 6.0M <i>6m L x m W x m H</i>	3.3kg		NS
PM9090306W	P-MAX POST;WHITE;3.0mm;90mm x 90mm x 6.0M <i>6m L x m W x m H</i>	5.7kg		NS
PM55551560	P-MAX SLVE 1.5mm; 55mm x 55mm x 6M <i>6m L x m W x m H</i>	2kg		NS




**POLYMAX RAIL SLEEVE**

**2.1.4**

A rectangular sleeve that easily fits over(2"x1") oyster frame rails for protection against rot and borers. Rail Sockets for joining. UV stabilised, Black.



PRODUCT CODE	DESCRIPTION			
<i>pack size</i>		<i>Wt kg</i>		
PM58341560	P-MAX RAIL SLVE; 1.5mm; 58mm x 34mm x 6M <i>6m L x m W x m H</i>	1.7kg		
socket included				
LIST each				
PMSOCET01	P-MAX RAIL SOCKET; (58x34mm RAIL); 150mm <i>0.15m L x m W x m H</i>	0.1kg		
sold only in bundles of 10				



NS indicates "nominal stock" - may not be in stock, minimum order quantity may be required



**DM Plastics & Steel Pty Ltd** ABN: 95 572 173 975  
**Ph 08 8349 7654 Fax 08 8349 5431**  
 Web [www.dmplastics.com.au](http://www.dmplastics.com.au) Email [sales@dmplastics.com.au](mailto:sales@dmplastics.com.au)





The suitability for use should be determined by Users according to their individual circumstances. All dimensions and weights provided are nominal

**POLYMAX™ OYSTER STICK SLEEVES**

**2.1.5**

A square sleeve that easily fits over (1"x1") oyster frame sticks for protection against rot and borers. May be coated with concrete. UV stabilised, black





PRODUCT CODE	DESCRIPTION	Wt kg	LIST	LIST	
			exc GST	inc GST	
	<i>Nominal pack size</i>				
PM262610180	P-MAX STICK SLVE; NOT SCRATCHED; 1.8M 1.85m L x m W x m H	0.2kg			

**POLYMAX™ PLASTIC POST**

**2.2.1**

Rectangular plastic post for use in oyster rail systems where load and weather are minimal. U.V. stabilised, Black. A special white post for markers is available in 6m only.



PRODUCT CODE	DESCRIPTION	Wt kg	LIST	LIST	
			exc GST	inc GST	
	<i>Nominal pack size</i>				
PM95623010	P-MAX POST;BLCK;3.0mm;95mm x 62mm x 1.0M 1m L x m W x m H	0.9kg			NS
PM95623012	P-MAX POST;BLCK;3.0mm;95mm x 62mm x 1.2M 1.2m L x m W x m H	1kg			NS
PM95623014	P-MAX POST;BLCK;3.0mm;95mm x 62mm x 1.4M 1.4m L x m W x m H	1.2kg			NS
PM95623016	P-MAX POST;BLCK;3.0mm;95mm x 62mm x 1.6M 1.6m L x m W x m H	1.4kg			NS
PM95623018	P-MAX POST;BLCK;3.0mm;95mm x 62mm x 1.8M 1.8m L x m W x m H	1.5kg			NS
PM95623020	P-MAX POST;BLCK;3.0mm;95mm x 62mm x 2.0M 2m L x m W x m H	1.7kg			NS
PM95623060	P-MAX POST;BLCK;3.0mm;95mm x 62mm x 6.0M 6m L x m W x m H	5kg			
PM9562306W	P-MAX POST;WHITE;3.0mm;95mm x 62mm x 6.0M 6m L x m W x m H	5kg			NS


**POLYMAX™ AQUA-LINE**

**LONG LINE WIRE**

**2.3.1**

A heavy-duty U.V. stabilised Polypropylene hollow wire supplied in coil form for joining lines of baskets or trays.

PRODUCT CODE	DESCRIPTION	Wt kg	LIST	LIST	
			exc GST	inc GST	
	<i>Nominal pack size</i>				
PMALR8300	P-MAX AQUA-LINE; ROUND 8.0mm OD X 300M	14kg			NS
PMALR11300	P-MAX AQUA-LINE; ROUND 10.8mmOD X 300M	24.7kg			NS
PMALF14300	P-MAX AQUA-LINE; FLAT 14mm WIDE X 300M	16.7kg			NS




**POLYMAX™ LONG LINE OYSTER SLEEVE**

**LONG LINE WIRE SLEEVE**

**2.3.2**

A heavy-duty poly tube to protect wires from corrosion. The thick walls minimise wear and allow the oyster bag clips to grip, reducing side slip. U.V. stabilised, Black.

PRODUCT CODE	DESCRIPTION	Wt kg	LIST	LIST	
			exc GST	inc GST	
	<i>Nominal pack size</i>				
OPT096500	OYSTER TUBE; HDPE 9mm X 6mm; 500M 500m L x 0.8m OD	16.8kg			
OPT1178250	OYSTER TUBE; HDPE 11.2mm X 7.8mm; 250M 250m L x 0.75m OD	11.4kg			
OPT1165300	OYSTER TUBE; HDPE 10.8mm X 6.5mm; 300M 300m L x 0.75m OD	16.7kg			
CT085500	CONTROL TUBE; MDPE; 8mm X 5mm; 500M 0.78m Dia x 0.16m W	14.5kg			
CT086500	CONTROL TUBE; MDPE; 8mm X 6mm; 500M 0.75m Dia x 0.25m W	10.4kg			



NS indicates "nominal stock" - may not be in stock, minimum order quantity may be required



**DM Plastics & Steel Pty Ltd** ABN: 95 572 173 975  
**Ph 08 8349 7654 Fax 08 8349 5431**  
 Web [www.dmplastics.com.au](http://www.dmplastics.com.au) Email [sales@dmplastics.com.au](mailto:sales@dmplastics.com.au)



The suitability for use should be determined by Users according to their individual circumstances. All dimensions and weights provided are nominal



**POLYMAX™ HEAVY DUTY FLOATS**

**WITH CONNECTING HOLES**

**2.4.1**

Polymax floats are supplied as individual floats for trays or as a log line of hinged floats. Holes are provide for tying to baskets or trays.

LIFT approx	PRODUCT CODE	DESCRIPTION	Wt kg	LIST exc GST	LIST inc GST	
	<i>Nominal pack size</i>					
	PM110203024	P-MAX FLOAT 110DIA; 8 HINGED 3M SECTIONS	17kg			NS
3.4 kg	PM1100620	P-MAX FLOAT 110mm DIA X 2mm X 620MM <i>0.6m L x m W x m H</i>	0.5kg			NS
4.9 kg	PM1100820	P-MAX FLOAT 110mm DIA X 2mm X 820MM <i>0.8m L x m W x m H</i>	0.6kg			NS
5.1 kg	PM1100920	P-MAX FLOAT 110mm DIA X 2mm X 930MM <i>0.93m L x m W x m H</i>	0.7kg			NS



Floats attach to the basket or tray to provide floatation so that the basket or tray is supported and held in place on a long line. When grouped in pairs one can be hinged over onto the other to keep it out of the water for drying.

**POLYMAX™ MEDIUM FLOATS**

**WITH CONNECTING HOLES**

**2.4.2**

These Polymax medium weight floats are supplied as individual floats for baskets.

PRODUCT CODE	DESCRIPTION	Wt kg	LIST exc GST	LIST inc GST	
	<i>Nominal pack size</i>				
PM0400580	P-MAX FLOAT 40mm DIA X 1mm X 580MM <i>0.58m L x m W x m H</i>	0.1kg			NS
PM0400770	P-MAX FLOAT 40mm DIA X 1mm X 770MM <i>0.77m L x m W x m H</i>	0.1kg			NS
PM0750580	P-MAX FLOAT 75mm DIA X 1mm X 580MM <i>0.58m L x m W x m H</i>	0.2kg			NS
PM0750770	P-MAX FLOAT 75mm DIA X 1mm X 770MM <i>0.77m L x m W x m H</i>	0.2kg			NS
PM0750900	P-MAX FLOAT 75mm DIA X 1mm X 900MM <i>0.9m L x m W x m H</i>	0.2kg			NS
PM1000580	P-MAX FLOAT 100mm DIA X 1mm X 580MM <i>0.58m L x m W x m H</i>	0.2kg			NS
PM1000770	P-MAX FLOAT 100mm DIA X 1mm X 770MM <i>0.77m L x m W x m H</i>	0.3kg			NS




Medium weight floats withstand pressure cleaning. Attach them to any oyster baskets with cable ties.



**POLYMAX™ TOOLS**

**2.9.1**

A tool for putting slits down the side of rectangular and square post sleeves to the correct depth for folding over the ends.



PRODUCT CODE	DESCRIPTION	Wt kg	LIST exc GST	LIST inc GST	
<i>Nominal pack size</i>					
PMSLIT01	P-MAX POST SLEEVE SLITTING TOOL - 90mm				



**DM Plastics & Steel Pty Ltd** ABN: 95 572 173 975  
**Ph 08 8349 7654 Fax 08 8349 5431**  
 Web [www.dmplastics.com.au](http://www.dmplastics.com.au) Email [sales@dmplastics.com.au](mailto:sales@dmplastics.com.au)



The suitability for use should be determined by Users according to their individual circumstances. All dimensions and weights provided are nominal