



**DRIVE-IN FLICKER + PUSH ON POLY DROPPER = LIGHT WEIGHT POST**

A plastic drive-in rod (Flicker) converts a Poly Dropper wire spacer into a flexible fixed post. Helps prevent the wires/fence from being lifted by animals pushing against it or nosing under it. Allows larger spacing of intermediate main posts.




**POLY DROPPER™ - BLACK FENCE WIRE SPACER 1.1.11**

Polywire spacers that clip to existing or new fence wires - notched for accurate wire position. Insulated for use on electric fences.



PRODUCT CODE	DESCRIPTION <i>nominal pack size</i>	Wt kg	LIST exc GST		
PD635B25	POLY-DROPPER; 635mm -B25 <i>0.635m L x 0.2m W x 0.15m H</i>	5.2kg			
PD815B25	POLY-DROPPER; 815mm -B25 <i>0.815m L x 0.2m W x 0.15m H</i>	6.6kg			
PD940B25	POLY-DROPPER; 940mm -B25 <i>0.94m L x 0.2m W x 0.15m H</i>	7.6kg			
PD1070B25	POLY-DROPPER; 1070mm -B25 <i>1.07m L x 0.2m W x 0.15m H</i>	8.7kg			
PD1170B25	POLY-DROPPER; 1170mm -B25 <i>1.17m L x 0.2m W x 0.15m H</i>	9.5kg			
PD1250B25	POLY-DROPPER; 1250mm -B25 <i>1.25m L x 0.2m W x 0.15m H</i>	10.1kg			
PD1370B25	POLY-DROPPER; 1370mm -B25 <i>1.37m L x 0.2m W x 0.15m H</i>	11.1kg			
PD1525B25	POLY-DROPPER; 1525mm -B25 <i>1.525m L x 0.2m W x 0.15m H</i>	12.4kg			
PD1800B25	POLY-DROPPER; 1800mm -B25 <i>1.8m L x 0.2m W x 0.15m H</i>	14.6kg			
PD2400B25	POLY-DROPPER; 2400mm -B25 <i>2.4m L x 0.2m W x 0.15m H</i>	19.4kg			
PDFS450B25	POLY-DROPPER FLICKER STAKE; 450mm -B25 <i>0.46m L x 0.12m W x 0.12m H</i>	4.7kg			
PDCB200	POLY-DROPPER CLIP; SNAP-ON; -B200 <i>0.3m L x 0.25m W x 0.08m H</i>	1.27kg			
PDCB1000	POLY-DROPPER CLIP; SNAP-ON; -B1000 <i>0.5m L x 0.35m W x 0.14m H</i>	6.28kg			
PDCPB200	POLY-DROPPER CLIP; P-TYPE; -B200 <i>0.5m L x 0.45m W x 0.4m H</i>	1.3 kg			
PDCPB1000	POLY-DROPPER CLIP; P-TYPE; -B1000 <i>0.5m L x 0.45m W x 0.4m H</i>	6.7 kg			
PDFDRIVER	POLY-DROPPER FLICKER DRIVER TOOL <i>1.2m L x 0.03m OD</i>	4.5kg			



*"B" followed by a number eg "-B1000" indicates that the price is for bundles of that quantity*



see the VIDEO of installing Poly Dropper Flickers at [www.dmplastics.com.au](http://www.dmplastics.com.au)




**DM Plastics & Steel Pty Ltd** ABN: 95 572 173 975  
**Ph 08 8360 5777 Fax 08 8349 5431**  
 Web [www.dmplastics.com.au](http://www.dmplastics.com.au) Email [sales@dmplastics.com.au](mailto:sales@dmplastics.com.au)




The suitability for use should be determined by Users according to their individual circumstances. All dimensions and weights provided are nominal

**POLY DROPPER™ - WHITE FENCE WIRE SPACER 1.1.12**

Polywire spacers that clip to existing or new fence wires - WHITE in colour. Also able to use the plastic drive-in rod (Flicker), to convert the Poly Dropper wire spacer into a flexible fixed post.




PRODUCT CODE	DESCRIPTION <i>nominal pack size</i>	Wt kg	LIST exc GST		
PD635WB25	POLY-DROPPER; WHITE; 635mm -B25 <i>0.635m L x 0.2m W x 0.15m H</i>	5.2kg			
PD815WB25	POLY-DROPPER; WHITE; 815mm -B25 <i>0.815m L x 0.2m W x 0.15m H</i>	6.6kg			
PD940WB25	POLY-DROPPER; WHITE; 940mm -B25 <i>0.94m L x 0.2m W x 0.15m H</i>	7.6kg			
PD1070WB25	POLY-DROPPER; WHITE; 1070mm -B25 <i>1.07m L x 0.2m W x 0.15m H</i>	8.7kg			
PD1170WB25	POLY-DROPPER; WHITE; 1170mm -B25 <i>1.17m L x 0.2m W x 0.15m H</i>	9.5kg			
PD1250WB25	POLY-DROPPER; WHITE; 1250mm -B25 <i>1.25m L x 0.2m W x 0.15m H</i>	10.1kg			
PD1370WB25	POLY-DROPPER; WHITE; 1370mm -B25 <i>1.37m L x 0.2m W x 0.15m H</i>	11.1kg			
PD1525WB25	POLY-DROPPER; WHITE; 1525mm -B25 <i>1.525m L x 0.2m W x 0.15m H</i>	12.4kg			
PD1800WB25	POLY-DROPPER; WHITE; 1800mm -B25 <i>1.8m L x 0.2m W x 0.15m H</i>	14.6kg			
PD2400WB25	POLY-DROPPER; WHITE; 2400mm -B25 <i>2.4m L x 0.2m W x 0.15m H</i>	19.4kg			




**POLY DROPPER™ - ORANGE FENCE WIRE SPACER 1.1.13**

Polywire spacers that clip to existing or new fence wires - ORANGE in colour. Also able to use the plastic drive-in rod (Flicker), to convert the Poly Dropper wire spacer into a flexible fixed post. Provides a post spacer which provides higher visibility to animals at night, thus helping prevent fence damage by vermin.




PRODUCT CODE	DESCRIPTION <i>nominal pack size</i>	Wt kg	LIST exc GST		
PD635VB25	POLY-DROPPER; ORANGE; 635mm -B25 <i>0.635m L x 0.2m W x 0.15m H</i>	5.2kg			
PD815VB25	POLY-DROPPER; ORANGE; 815mm -B25 <i>0.815m L x 0.2m W x 0.15m H</i>	6.6kg			
PD940VB25	POLY-DROPPER; ORANGE; 940mm -B25 <i>0.94m L x 0.2m W x 0.15m H</i>	7.6kg			
PD1070VB25	POLY-DROPPER; ORANGE; 1070mm -B25 <i>1.07m L x 0.2m W x 0.15m H</i>	8.7kg			
PD1170VB25	POLY-DROPPER; ORANGE; 1170mm -B25 <i>1.17m L x 0.2m W x 0.15m H</i>	9.5kg			
PD1250VB25	POLY-DROPPER; ORANGE; 1250mm -B25 <i>1.25m L x 0.2m W x 0.15m H</i>	10.1kg			
PD1370VB25	POLY-DROPPER; ORANGE; 1370mm -B25 <i>1.37m L x 0.2m W x 0.15m H</i>	11.1kg			
PD1525VB25	POLY-DROPPER; ORANGE; 1525mm -B25 <i>1.525m L x 0.2m W x 0.15m H</i>	12.4kg			
PD1800VB25	POLY-DROPPER; ORANGE; 1800mm -B25 <i>1.8m L x 0.2m W x 0.15m H</i>	14.6kg			
PD2400VB25	POLY-DROPPER; ORANGE; 2400mm -B25 <i>2.4m L x 0.2m W x 0.15m H</i>	19.4kg			




**FENCING TOOLS**

Wire clips and clip tools to suit Polylok™ Fence System products.



PRODUCT CODE	DESCRIPTION <i>Nominal pack size</i>	Wt kg	LIST exc GST		
PDCTOOL	POLY-DROPPER CLIP TOOL -HD	0.43kg			
PDCTOOLJM	POLY-DROPPER CLIP TOOL -JM	0.47kg			
PDCTOOLCT	POLY-DROPPER CLIP TOOL -CLICK & TWITCH	0.43kg			
PDCTOOLQT	POLY-DROPPER CLIP TOOL -QUICK TWITCH	0.43kg			
CPDRIVER	DRIVER FOR C'SECTION PRODUCTS <i>0.96m L x 0.05m W x 0.26m H</i>	12.82kg			



"B" followed by a number eg "- B1000" indicates that the price is for bundles of that quantity



see the VIDEO of Using Fencing Tools at [www.dmplastics.com.au](http://www.dmplastics.com.au)




**DM Plastics & Steel Pty Ltd** ABN: 95 572 173 975  
**Ph 08 8360 5777 Fax 08 8349 5431**  
 Web [www.dmplastics.com.au](http://www.dmplastics.com.au) Email [sales@dmplastics.com.au](mailto:sales@dmplastics.com.au)



The suitability for use should be determined by Users according to their individual circumstances. All dimensions and weights provided are nominal


**DRIVE-IN C-POST + DROP ON MAXI DROPPER = INTERMEDIATE POST**

INSULATED TOP, GALV STEEL BASE. Install using a standard slide hammer. Notched every inch to provide reliable wire positioning. Wires held on using 'Snap-On' or 'P-Type' wire clips.




**MAXI POLY DROPPER™ - BLACK FENCE WIRE SPACER/POST SLEEVE 1.1.21**


A polywire sleeve that slides over a galvanised C-Post - notched for accurate wire positioning. Insulated for use on electric fences or may be used as a larger spacer that clips to existing or new fence wires



PRODUCT CODE	DESCRIPTION <i>nominal pack size</i>	Wt kg	LIST exc GST		suggested C-Post
PD635MB25	MAXI POLY-DROPPER; 635mm -B25 0.635m L x 0.3m W x 0.2m H	6.6kg			
PD815MB25	MAXI POLY-DROPPER; 815mm -B25 0.815m L x 0.3m W x 0.2m H	8.4kg			CP940B25
PD940MB25	MAXI POLY-DROPPER; 940mm -B25 0.94m L x 0.3m W x 0.2m H	9.7kg			CP940B25
PD1070MB25	MAXI POLY-DROPPER; 1070mm -B25 1.07m L x 0.3m W x 0.2m H	11kg			CP1070B25
PD1170MB25	MAXI POLY-DROPPER; 1170mm -B25 1.17m L x 0.3m W x 0.2m H	12.1kg			CP1070B25
PD1250MB25	MAXI POLY-DROPPER; 1250mm -B25 1.25m L x 0.3m W x 0.2m H	12.9kg			CP1220B25
PD1370MB25	MAXI POLY-DROPPER; 1370mm -B25 1.37m L x 0.3m W x 0.2m H	14.1kg			CP1370B25
PD1525MB25	MAXI POLY-DROPPER; 1525mm -B25 1.525m L x 0.3m W x 0.2m H	15.7kg			CP1520B25
PD1800MB25	MAXI POLY-DROPPER; 1800mm -B25 1.8m L x 0.3m W x 0.2m H	18.6kg			
PD2400MB25	MAXI POLY-DROPPER; 2400mm -B25 2.4m L x 0.3m W x 0.2m H	24.7 kg			



**MAXI WIRE CLIPS WIRE CLIPS TO CONNECT MAXI DROPPERS**



PDCMB200	MAXI-POLY DROPPER CLIP; SNAP-ON; -B200 0.37m L x 0.3m W x 0.13m H	1.85kg			
PDCMB1000	MAXI-POLY DROPPER CLIP; SNAP-ON; -B1000 0.5m L x 0.4m W x 0.23m H	9.27kg			
PDCPMB200	MAXI-POLY DROPPER CLIP; P-TYPE; -B200 0.45m L x 0.35m W x 0.12m H	2.31kg			
PDCPMB1000	MAXI-POLY DROPPER CLIP; P-TYPE; -B1000 0.55m L x 0.45m W x 0.22m H	9.8 kg			



"B" followed by a number eg "- B1000" indicates that the price is for bundles of that quantity




**DM Plastics & Steel Pty Ltd** ABN: 95 572 173 975  
**Ph 08 8360 5777 Fax 08 8349 5431**  
 Web [www.dmplastics.com.au](http://www.dmplastics.com.au) Email [sales@dmplastics.com.au](mailto:sales@dmplastics.com.au)




The suitability for use should be determined by Users according to their individual circumstances. All dimensions and weights provided are nominal

**MAXI POLY DROPPER™ - WHITE 1.2.22**

Polywire spacers that clip to existing or new fence wires - WHITE in colour. Also able to use the plastic drive-in rod (Flicker), to convert the Poly Dropper wire spacer into a flexible fixed post.




PRODUCT CODE	DESCRIPTION <i>nominal pack size</i>	Wt kg	LIST	
			exc GST	
PD635MWB25	MAXI POLY-DROPPER; WHITE; 635mm -B25 0.635m L x 0.3m W x 0.2m H	6.6kg		
PD815MWB25	MAXI POLY-DROPPER; WHITE; 815mm -B25 0.815m L x 0.3m W x 0.2m H	8.4kg		
PD940MWB25	MAXI POLY-DROPPER; WHITE; 940mm -B25 0.94m L x 0.3m W x 0.2m H	9.7kg		
PD1070MWB25	MAXI POLY-DROPPER; WHITE; 1070mm -B25 1.07m L x 0.3m W x 0.2m H	11kg		
PD1170MWB25	MAXI POLY-DROPPER; WHITE; 1170mm -B25 1.17m L x 0.3m W x 0.2m H	12.1kg		
PD1250MWB25	MAXI POLY DROPPER; WHITE; 1250mm -B25 1.25m L x 0.3m W x 0.2m H	12.9kg		
PD1370MWB25	MAXI POLY-DROPPER; WHITE; 1370mm -B25 1.37m L x 0.3m W x 0.2m H	14.1kg		
PD1525MWB25	MAXI POLY-DROPPER; WHITE; 1525mm -B25 1.525m L x 0.3m W x 0.2m H	15.7kg		
PD1800MWB25	MAXI POLY-DROPPER; WHITE; 1800mm -B25 1.8m L x 0.3m W x 0.2m H	18.6kg		
PD2400MWB25	MAXI POLY-DROPPER; WHITE; 2400mm -B25 2.4m L x 0.3m W x 0.2m H	24.7kg		




**MAXI POLY DROPPER™ - ORANGE 1.1.23**


Polywire spacers that clip to existing or new fence wires - ORANGE in colour. Also able to use the plastic drive-in rod (Flicker), to convert the Poly Dropper wire spacer into a flexible fixed post. Provides a post spacer which provides higher visibility to animals at night, thus helping prevent fence damage by vermin.



PRODUCT CODE	DESCRIPTION <i>nominal pack size</i>	Wt kg	LIST	
			exc GST	
PD635MVB25	MAXI POLY-DROPPER; ORANGE; 635mm -B25 0.635m L x 0.3m W x 0.2m H	6.6kg		
PD815MVB25	MAXI POLY-DROPPER; ORANGE; 815mm -B25 0.815m L x 0.3m W x 0.2m H	8.4kg		
PD940MVB25	MAXI POLY-DROPPER; ORANGE; 940mm -B25 0.94m L x 0.3m W x 0.2m H	9.7kg		
PD1070MVB25	MAXI POLY-DROPPER; ORANGE; 1070mm -B25 1.07m L x 0.3m W x 0.2m H	11kg		
PD1170MVB25	MAXI POLY-DROPPER; ORANGE; 1170mm -B25 1.17m L x 0.3m W x 0.2m H	12.1kg		
PD1250MVB25	MAXI POLY DROPPER; ORANGE; 1250mm -B25 1.25m L x 0.3m W x 0.2m H	12.9kg		
PD1370MVB25	MAXI POLY-DROPPER; ORANGE; 1370mm -B25 1.37m L x 0.3m W x 0.2m H	14.1kg		
PD1525MVB25	MAXI POLY-DROPPER; ORANGE; 1525mm -B25 1.525m L x 0.3m W x 0.2m H	15.7kg		
PD1800MVB25	MAXI POLY-DROPPER; ORANGE; 1800mm -B25 1.8m L x 0.3m W x 0.2m H	18.6kg		
PD2400MVB25	MAXI POLY-DROPPER; ORANGE; 2400mm -B25 2.4m L x 0.3m W x 0.2m H	24.7kg		



**MAXI WIRE CLIPS**



PDCMB200	MAXI-POLY DROPPER CLIP; SNAP-ON; -B200 0.37m L x 0.3m W x 0.13m H	1.85kg		
PDCMB1000	MAXI-POLY DROPPER CLIP; SNAP-ON; -B1000 0.5m L x 0.4m W x 0.23m H	9.27kg		
PDCPMB200	MAXI-POLY DROPPER CLIP; P-TYPE; -B200 0.45m L x 0.35m W x 0.12m H	2.31kg		
PDCPMB1000	MAXI-POLY DROPPER CLIP; P-TYPE; -B1000 0.55m L x 0.45m W x 0.22m H	9.8 kg		

"B" followed by a number eg "- B1000" indicates that the price is for bundles of that quantity




**DM Plastics & Steel Pty Ltd** ABN: 95 572 173 975  
 Ph 08 8360 5777 Fax 08 8349 5431  
 Web [www.dmplastics.com.au](http://www.dmplastics.com.au) Email [sales@dmplastics.com.au](mailto:sales@dmplastics.com.au)



The suitability for use should be determined by Users according to their individual circumstances. All dimensions and weights provided are nominal


**DROP ON TRI POLY-GUARD to adapt STAR DROPPER type posts**

INSULATED GUARD, to sleeve over Star Dropper type steel posts. Holes every half inch to provide reliable wire positioning. Wires held on using 'Poly-guard' wire clips.




**TRI POLY-GUARD™ - BLACK** **FENCE WIRE POST SLEEVE** **1.1.31**

A polywire sleeve that slides over most Star-Dropper type steel posts - notched for accurate wire positioning. Insulated for use to electrify existing or new fence wires.



PRODUCT CODE	DESCRIPTION <i>nominal pack size</i>	Wt kg	LIST exc GST		
PG635TB25	TRI POLY-GUARD; 635mm	5.6kg			
PG815TB25	TRI POLY-GUARD; 815mm	7.2kg			
PG940TB25	TRI POLY-GUARD; 940mm	8.3kg			
PG1070TB25	TRI POLY-GUARD; 1070mm	9.4kg			
PG1170TB25	TRI POLY-GUARD; 1170mm	10.3kg			
PG1250TB25	TRI POLY-GUARD; 1250mm	11kg			
PG1370TB25	TRI POLY-GUARD; 1370mm	12kg			
PG1525TB25	TRI POLY-GUARD; 1525mm	13.4kg			
PG1800TB25	TRI POLY-GUARD; 1800mm	15.8kg			
PG2400TB25	TRI POLY-GUARD; 2400mm	21.0 kg			



**POLY GUARD WIRE CLIPS**



SFPGCB1000	POLY GARD CLIPS; -B1000 0.3m L x 0.25m W x 0.05m H				
SFPGCB200	POLY GARD CLIPS; -B200 0.15m L x 0.15m W x 0.03m H				

"B" followed by a number eg "- B1000" indicates that the price is for bundles of that quantity




**DM Plastics & Steel Pty Ltd** ABN: 95 572 173 975  
**Ph 08 8360 5777 Fax 08 8349 5431**  
 Web [www.dmplastics.com.au](http://www.dmplastics.com.au) Email [sales@dmplastics.com.au](mailto:sales@dmplastics.com.au)



The suitability for use should be determined by Users according to their individual circumstances. All dimensions and weights provided are nominal

**TRI POLY-GUARD™ - WHITE FENCE WIRE SPACER/POST SLEEVE 1.1.32**

A polywire sleeve that slides over a galvanised C-Post - Holes accept clips which allow wires to slide along the fence each way, minimising wire breaks. Insulated for use on electric fences.




PRODUCT CODE	DESCRIPTION	LIST		
	<i>nominal pack size</i>	<i>Wt kg</i>	<i>exc GST</i>	
PG635TWB25	TRI POLY-GUARD; WHITE; 635mm	5.6kg		
PG815TWB25	TRI POLY-GUARD; WHITE; 815mm	7.2kg		
PG940TWB25	TRI POLY-GUARD; WHITE; 940mm	8.3kg		
PG1070TWB25	TRI POLY-GUARD; WHITE; 1070mm	9.4kg		
PG1170TWB25	TRI POLY-GUARD; WHITE; 1170mm	10.3kg		
PG1250TWB25	TRI POLY-GUARD; WHITE; 1250mm	11kg		
PG1370TWB25	TRI POLY-GUARD; WHITE; 1370mm	12kg		
PG1525TWB25	TRI POLY-GUARD; WHITE; 1525mm	13.4kg		
PG1800TWB25	TRI POLY-GUARD; WHITE; 1800mm	15.8kg		
PG2400TWB25	TRI POLY-GUARD; WHITE; 2400mm 0	21kg		

"B" followed by a number eg "- B1000" indicates that the price is for bundles of that quantity

**TRI - POLY GUARD™ - ORANGE FENCE POST SLEEVE 1.1.33**

A polywire sleeve that slides over star type posts. - Holes accept "twin leg" clips. Clips allow wires to slide along the fence each way, minimising wire breaks. Insulated for use on electric fences. Upgrade old fences or use with old broken star type posts.



PRODUCT CODE	DESCRIPTION	LIST		
	<i>nominal pack size</i>	<i>Wt kg</i>	<i>exc GST</i>	
PG635TVB25	TRI POLY-GUARD; ORANGE; 635mm	5.6kg		
PG815TVB25	TRI POLY-GUARD; ORANGE; 815mm	7.2kg		
PG940TVB25	TRI POLY-GUARD; ORANGE; 940mm	8.3kg		
PG1070TVB25	TRI POLY-GUARD; ORANGE; 1070mm	9.4kg		
PG1170TVB25	TRI POLY-GUARD; ORANGE; 1170mm	10.3kg		
PG1250TVB25	TRI POLY-GUARD; ORANGE; 1250mm	11kg		
PG1370TVB25	TRI POLY-GUARD; ORANGE; 1370mm	12kg		
PG1525TVB25	TRI POLY-GUARD; ORANGE; 1525mm	13.4kg		
PG1800TVB25	TRI POLY-GUARD; ORANGE; 1800mm	15.8kg		
PG2400TVB25	TRI POLY-GUARD; ORANGE; 2400mm 0	21kg		

"B" followed by a number eg "- B1000" indicates that the price is for bundles of that quantity

**POLY GUARD WIRE CLIPS**



SFPGCB200	POLY GARD CLIPS; -B200 0.15m L x 0.15m W x 0.03m H			
SFPGCB1000	POLY GARD CLIPS; -B1000 0.3m L x 0.25m W x 0.05m H			

"B" followed by a number eg "- B1000" indicates that the price is for bundles of that quantity



**DM Plastics & Steel Pty Ltd** ABN: 95 572 173 975  
**Ph 08 8360 5777 Fax 08 8349 5431**  
 Web [www.dmplastics.com.au](http://www.dmplastics.com.au) Email [sales@dmplastics.com.au](mailto:sales@dmplastics.com.au)




The suitability for use should be determined by Users according to their individual circumstances. All dimensions and weights provided are nominal




**POLY BATTEN - BLACK**

**FENCE WIRE SPACER**

**1.1.41**



Heavy duty poly fence battens. Used as a wire spacer between fence posts. Holes allow fence wires to slide each way, minimising wire breaks. Insulated for use on electric fences. Tie off to top and bottom fence wire. Custom lengths purchased by the metre. Minimum orders will apply.



PRODUCT CODE	DESCRIPTION <i>nominal pack size</i>	Wt kg	LIST	
			exc GST	
PBH	POLY-BATTEN; CUST-HOLE; 2.2mm; perM	0.3kg		
PBNH	POLY-BATTEN; NO-HOLE; 2.2mm; perM	0.3kg		
PB1015B25	POLY-BATTEN; NO-HOLE; 1015mm -B25 1.015m L x 0.26m W x 0.2m H	7kg		
PB1145B25	POLY-BATTEN; NO-HOLE; 1145mm -B25 1.145m L x 0.27m W x 0.2m H	7.9kg		
PB1015H8B25	POLY-BATTEN; 8-HOLE; TYPE-1 1015mm -B25 1.015m L x 0.26m W x 0.2m H	7.0 kg		

"B" followed by a number eg "- B1000" indicates that the price is for bundles of that quantity

**Custom lengths purchased by the metre, subject to limited orders.**

**C-POST™**


**GALVANISED STEEL FENCE POST 1.1.51**

Heavy galvanised steel fence posts, "lanolin" coated to resist corrosive environments. Driven in like star type posts.



PRODUCT CODE	DESCRIPTION <i>nominal pack size</i>	Wt kg	LIST	
			exc GST	
CP940B25	C-POST; GALVANISED; 940mm -B25 0.94m L x 0.2m W x 0.1m H	29.8kg		
CP1070B25	C-POST; GALVANISED; 1070mm -B25 1.07m L x 0.2m W x 0.1m H	33.9kg		
CP1220B25	C-POST; GALVANISED; 1220mm -B25 1.22m L x 0.2m W x 0.1m H	38.7kg		
CP1370B25	C-POST; GALVANISED; 1370mm -B25 1.37m L x 0.2m W x 0.1m H	43.4kg		
CP1520B25	C-POST; GALVANISED; 1520mm -B25 1.52m L x 0.2m W x 0.1m H	48.2kg		
CP1680B25	C-POST; GALVANISED; 1680mm -B25 1.68m L x 0.2m W x 0.1m H	53.2kg		
CP1830B25	C-POST; GALVANISED; 1830mm -B25 1.83m L x 0.2m W x 0.1m H	58kg		
CP1980B25	C-POST; GALVANISED; 1980mm -B25 1.98m L x 0.2m W x 0.1m H	62.7kg		
CP2130B25	C-POST; GALVANISED; 2130mm -B25 2.13m L x 0.2m W x 0.1m H	67.5kg		
CP2250B25	C-POST; GALVANISED; 2250mm -B25 2.25m L x 0.2m W x 0.1m H	71.3kg		
CP2440B25	C-POST; GALVANISED; 2440mm -B25 2.44m L x 0.2m W x 0.1m H	77.3kg		
CP3000B25	C-POST; GALVANISED; 3000mm -B25 3m L x 0.2m W x 0.1m H	95.0 kg		

"B" followed by a number eg "- B1000" indicates that the price is for bundles of that quantity



**C-POST WIRE CLIPS**




C-Posts with different hole configurations and lengths may be made for your requirements. Contact our sales department for pricing. Minimum orders will apply.



PRODUCT CODE	DESCRIPTION <i>nominal pack size</i>	Wt kg	LIST	
			exc GST	
CPWB100	C-POST CLIP; (WIRE) -B100 0.08m L x 0.15m W x 0.15m H	0.37kg		
CPWB1000	C-POST CLIP; (WIRE) -B1000 0.3m L x 0.23m W x 0.04m H	3.69kg		

"B" followed by a number eg "- B1000" indicates that the price is for bundles of that quantity




**AG-BAR**

**GALVANISED STEEL C-SECTION BAR 1.1.81**

Steel C-section bar for agricultural uses. Heavy galvanised and lanolin coated to resist corrosive environments. Purchase any length in increments of 50mm. Minimum orders will apply.



PRODUCT CODE	DESCRIPTION <i>nominal pack size</i>	Wt kg	LIST	
			exc GST	
ABH	AG BAR WITH HOLES; perM	1.3kg		
ABNH	AG BAR WITH NO HOLES; perM	1.3 kg		




**DM Plastics & Steel Pty Ltd** ABN: 95 572 173 975  
 Ph 08 8360 5777 Fax 08 8349 5431  
 Web [www.dmplastics.com.au](http://www.dmplastics.com.au) Email [sales@dmplastics.com.au](mailto:sales@dmplastics.com.au)





The suitability for use should be determined by Users according to their individual circumstances. All dimensions and weights provided are nominal

**WIRE CLIPS, INSULATORS & ACCESSORIES 1.1.91**

Wire clips and insulators to suit Polylok™ Fence System products.




PRODUCT CODE	DESCRIPTION <i>Nominal pack size</i>	Wt kg	LIST		
			exc GST		
CPWB100	C-POST CLIP; (WIRE) -B100 0.08m L x 0.15m W x 0.15m H	0.37kg			
CPWB1000	C-POST CLIP; (WIRE) -B1000 0.3m L x 0.23m W x 0.04m H	3.69kg			
PDCB1000	POLY-DROPPER CLIP; SNAP-ON; -B1000 0.5m L x 0.35m W x 0.14m H	6.28kg			
PDCB200	POLY-DROPPER CLIP; SNAP-ON; -B200 0.3m L x 0.25m W x 0.08m H	1.27kg			
PDCMB1000	MAXI-POLY DROPPER CLIP; SNAP-ON; -B1000 0.5m L x 0.4m W x 0.23m H	9.27kg			
PDCMB200	MAXI-POLY DROPPER CLIP; SNAP-ON; -B200 0.37m L x 0.3m W x 0.13m H	1.85kg			
PDCPB200	POLY-DROPPER CLIP; P-TYPE; -B200 0.5m L x 0.45m W x 0.4m H	1.332kg			
PDCPB1000	POLY-DROPPER CLIP; P-TYPE; -B1000 0.5m L x 0.45m W x 0.4m H	6.66kg			
PDCPMB1000	MAXI-POLY DROPPER CLIP; P-TYPE; -B1000 0.55m L x 0.45m W x 0.22m H	9.8kg			
PDCPMB200	MAXI-POLY DROPPER CLIP; P-TYPE; -B200 0.45m L x 0.35m W x 0.12m H	2.31kg			
SFPGCB1000	POLY GARD CLIPS; -B1000 0.3m L x 0.25m W x 0.05m H				
SFPGCB200	POLY GARD CLIPS; -B200 0.15m L x 0.15m W x 0.03m H				




PRODUCT CODE	DESCRIPTION <i>Nominal pack size</i>	Wt kg	LIST		
			exc GST		
CPIPR	C-POST INSULATOR - PORCELAIN REEL ONLY 0.035m Dia x 0.04m W				
CPCPI	C-POST CLIP; (PORCELAIN INSULATOR)	0.02kg			
CPTB1000	C-POST INSULATOR TUBE; -B1000 0.3m L x 0.15m W x 0.08m H	2.9kg			
CPTB200	C-POST INSULATOR TUBE; -B200 0.15m L x 0.15m W x 0.08m H	0.6kg			
SFIS080B500	INSULSLEEVE (FOR WIRE); 80mm; -B500 0.36m L x 0.3m W x 0.13m H	4kg			
SFIS230B500	INSULSLEEVE (FOR WIRE); 230mm; -B500 0.7m L x 0.45m W x 0.2m H	11.5kg			
SFIS750	INSULSLEEVE (FOR WIRE); 75M COIL 0.65m Dia x 0.13m W	7.5kg			
SFPO100B25	POLY-OFFSETTER; SINGLE SIDED -B25 0.7874m L x 0.2m W x 0.15m H	6.4kg			
SFPO150B25	POLY-OFFSETTER; DOUBLE SIDED -B25 1.3208m L x 0.2m W x 0.15m H	10.7 kg			

"B" followed by a number eg "- B1000" indicates that the price is for bundles of that quantity




Clip-on Poly-Offsetters to electrify old fence lines. Offset a single electric wire




**FENCING TOOLS 1.1.92**

Wire clips and clip tools to suit Polylok™ Fence System products.



"JM Tool"

PRODUCT CODE	DESCRIPTION <i>Nominal pack size</i>	Wt kg	LIST		
			exc GST		
PDCTOOL	POLY-DROPPER CLIP TOOL -HD	0.43kg			
PDCTOOLJM	POLY-DROPPER CLIP TOOL -JM	0.47kg			
PDCTOOLCT	POLY-DROPPER CLIP TOOL -CLICK & TWITCH	0.43kg			
PDCTOOLQT	POLY-DROPPER CLIP TOOL -QUICK TWITCH	0.43kg			
CPDRIVER	DRIVER FOR C-SECTION PRODUCTS 0.96m L x 0.05m W x 0.26m H	12.82kg			



VIDEO

see the VIDEO of Using Fencing Tools at [www.dmplastics.com.au](http://www.dmplastics.com.au)



**DM Plastics & Steel Pty Ltd** ABN: 95 572 173 975  
**Ph 08 8360 5777 Fax 08 8349 5431**  
 Web [www.dmplastics.com.au](http://www.dmplastics.com.au) Email [sales@dmplastics.com.au](mailto:sales@dmplastics.com.au)



The suitability for use should be determined by Users according to their individual circumstances. All dimensions and weights provided are nominal