

## 15mm THREADED POLPRO RISERS

15 BSPM X 15 BSPM

4.1.1

Rigid Polypropylene Riser tube with tapered 15mm (1/2") BSP Male thread on both ends



| PRODUCT CODE | DESCRIPTION                                          | Wt kg | LIST    |  |  |
|--------------|------------------------------------------------------|-------|---------|--|--|
|              | Nominal pack size                                    |       | exc GST |  |  |
| RT15MM150    | RISER; 15BSPM X 15BSPM; 150mm<br>0.15m L x 0.022m OD | 0.1kg |         |  |  |
| RT15MM200    | RISER; 15BSPM X 15BSPM; 200mm<br>0.2m L x 0.022m OD  | 0.1kg |         |  |  |
| RT15MM250    | RISER; 15BSPM X 15BSPM; 250mm<br>0.25m L x 0.022m OD | 0.1kg |         |  |  |
| RT15MM300    | RISER; 15BSPM X 15BSPM; 300mm<br>0.3m L x 0.022m OD  | 0.1kg |         |  |  |
| RT15MM350    | RISER; 15BSPM X 15BSPM; 350mm<br>0.35m L x 0.022m OD | 0.1kg |         |  |  |
| RT15MM400    | RISER; 15BSPM X 15BSPM; 400mm<br>0.4m L x 0.022m OD  | 0.1kg |         |  |  |
| RT15MM450    | RISER; 15BSPM X 15BSPM; 450mm<br>0.45m L x 0.022m OD | 0.1kg |         |  |  |
| RT15MM500    | RISER; 15BSPM X 15BSPM; 500mm<br>0.5m L x 0.022m OD  | 0.1kg |         |  |  |
| RT15MM550    | RISER; 15BSPM X 15BSPM; 550mm<br>0.55m L x 0.022m OD | 0.2kg |         |  |  |
| RT15MM600    | RISER; 15BSPM X 15BSPM; 600mm<br>0.6m L x 0.022m OD  | 0.2kg |         |  |  |
| RT15MM650    | RISER; 15BSPM X 15BSPM; 650mm<br>0.65m L x 0.022m OD | 0.2kg |         |  |  |
| RT15MM700    | RISER; 15BSPM X 15BSPM; 700mm<br>0.7m L x 0.022m OD  | 0.2kg |         |  |  |
| RT15MM750    | RISER; 15BSPM X 15BSPM; 750mm<br>0.75m L x 0.022m OD | 0.2kg |         |  |  |
| RT15MM800    | RISER; 15BSPM X 15BSPM; 800mm<br>0.8m L x 0.022m OD  | 0.2kg |         |  |  |
| RT15MM850    | RISER; 15BSPM X 15BSPM; 850mm<br>0.8m L x 0.022m OD  | 0.2kg |         |  |  |
| RT15MM900    | RISER; 15BSPM X 15BSPM; 900mm<br>0.9m L x 0.022m OD  | 0.2kg |         |  |  |
| RT15MM950    | RISER; 15BSPM X 15BSPM; 950mm<br>0.95m L x 0.022m OD | 0.2kg |         |  |  |
| RT15MM1000   | RISER; 15BSPM X 15BSPM; 1000mm<br>1m L x 0.022m OD   | 0.2kg |         |  |  |
| RT15MM1100   | RISER; 15BSPM X 15BSPM; 1100mm<br>1.1m L x 0.022m OD | 0.3kg |         |  |  |
| RT15MM1200   | RISER; 15BSPM X 15BSPM; 1200mm<br>1.2m L x 0.022m OD | 0.3kg |         |  |  |
| RT15MM1300   | RISER; 15BSPM X 15BSPM; 1300mm<br>1.3m L x 0.022m OD | 0.3kg |         |  |  |
| RT15MM1400   | RISER; 15BSPM X 15BSPM; 1400mm<br>1.4m L x 0.022m OD | 0.3kg |         |  |  |
| RT15MM1500   | RISER; 15BSPM X 15BSPM; 1500mm<br>1.5m L x 0.022m OD | 0.3kg |         |  |  |
| RT15MM1600   | RISER; 15BSPM X 15BSPM; 1600mm<br>1.6m L x 0.022m OD | 0.4kg |         |  |  |
| RT15MM1700   | RISER; 15BSPM X 15BSPM; 1700mm<br>1.7m L x 0.022m OD | 0.4kg |         |  |  |
| RT15MM1800   | RISER; 15BSPM X 15BSPM; 1800mm<br>1.8m L x 0.022m OD | 0.4kg |         |  |  |
| RT15MM1900   | RISER; 15BSPM X 15BSPM; 1900mm<br>1.9m L x 0.022m OD | 0.4kg |         |  |  |
| RT15MM2000   | RISER; 15BSPM X 15BSPM; 2000mm<br>2m L x 0.022m OD   | 0.4kg |         |  |  |
| RT15MM2100   | RISER; 15BSPM X 15BSPM; 2100mm<br>2.1m L x 0.022m OD | 0.5kg |         |  |  |
| RT15MM2200   | RISER; 15BSPM X 15BSPM; 2200mm<br>2.2m L x 0.022m OD | 0.5kg |         |  |  |
| RT15MM2300   | RISER; 15BSPM X 15BSPM; 2300mm<br>2.3m L x 0.022m OD | 0.5kg |         |  |  |
| RT15MM2400   | RISER; 15BSPM X 15BSPM; 2400mm<br>2.4m L x 0.022m OD | 0.5kg |         |  |  |
| RT15MM2500   | RISER; 15BSPM X 15BSPM; 2500mm<br>2.5m L x 0.022m OD | 0.5kg |         |  |  |
| RT15MM2600   | RISER; 15BSPM X 15BSPM; 2600mm<br>2.6m L x 0.022m OD | 0.5kg |         |  |  |
| RT15MM2700   | RISER; 15BSPM X 15BSPM; 2700mm<br>2.7m L x 0.022m OD | 0.6kg |         |  |  |
| RT15MM2800   | RISER; 15BSPM X 15BSPM; 2800mm<br>2.8m L x 0.022m OD | 0.6kg |         |  |  |
| RT15MM2900   | RISER; 15BSPM X 15BSPM; 2900mm<br>2.9m L x 0.022m OD | 0.6kg |         |  |  |
| RT15MM3000   | RISER; 15BSPM X 15BSPM; 3000mm<br>3m L x 0.022m OD   | 0.6kg |         |  |  |

SPECIAL RISER LENGTHS - will be priced at the next longest riser price.  
Minimum order of 10 of any special riser size



**DM Plastics & Steel Pty Ltd** ABN: 95 572 173 975  
**Ph 08 8360 5777 Fax 08 8349 5431**  
**Web [www.dmplastics.com.au](http://www.dmplastics.com.au) Email [sales@dmplastics.com.au](mailto:sales@dmplastics.com.au)**



The suitability for use should be determined by Users according to their individual circumstances. All dimensions and weights provided are nominal

## 15mm THREADED POLPRO RISERS

15 BSPM X 10 BSPF

4.1.2

Rigid Polypropylene Riser tube with tapered 15mm (1/2") BSP Male thread one end and 10mm (3/8") BSP Female thread the other.



| PRODUCT CODE | DESCRIPTION<br><i>Nominal pack size</i>              | Wt. kg | LIST<br>exc GST |  |  |
|--------------|------------------------------------------------------|--------|-----------------|--|--|
| RT15MF150    | RISER; 15BSPM X 10BSPF; 150mm<br>0.15m L x 0.022m OD | 0.1kg  |                 |  |  |
| RT15MF200    | RISER; 15BSPM X 10BSPF; 200mm<br>0.2m L x 0.022m OD  | 0.1kg  |                 |  |  |
| RT15MF250    | RISER; 15BSPM X 10BSPF; 250mm<br>0.25m L x 0.022m OD | 0.1kg  |                 |  |  |
| RT15MF300    | RISER; 15BSPM X 10BSPF; 300mm<br>0.3m L x 0.022m OD  | 0.1kg  |                 |  |  |
| RT15MF350    | RISER; 15BSPM X 10BSPF; 350mm<br>0.35m L x 0.022m OD | 0.1kg  |                 |  |  |
| RT15MF400    | RISER; 15BSPM X 10BSPF; 400mm<br>0.4m L x 0.022m OD  | 0.1kg  |                 |  |  |
| RT15MF450    | RISER; 15BSPM X 10BSPF; 450mm<br>0.45m L x 0.022m OD | 0.1kg  |                 |  |  |
| RT15MF500    | RISER; 15BSPM X 10BSPF; 500mm<br>0.5m L x 0.022m OD  | 0.1kg  |                 |  |  |
| RT15MF550    | RISER; 15BSPM X 10BSPF; 550mm<br>0.55m L x 0.022m OD | 0.2kg  |                 |  |  |
| RT15MF600    | RISER; 15BSPM X 10BSPF; 600mm<br>0.6m L x 0.022m OD  | 0.2kg  |                 |  |  |
| RT15MF650    | RISER; 15BSPM X 10BSPF; 650mm<br>0.65m L x 0.022m OD | 0.2kg  |                 |  |  |
| RT15MF700    | RISER; 15BSPM X 10BSPF; 700mm<br>0.7m L x 0.022m OD  | 0.2kg  |                 |  |  |
| RT15MF750    | RISER; 15BSPM X 10BSPF; 750mm<br>0.75m L x 0.022m OD | 0.2kg  |                 |  |  |
| RT15MF800    | RISER; 15BSPM X 10BSPF; 800mm<br>0.8m L x 0.022m OD  | 0.2kg  |                 |  |  |
| RT15MF850    | RISER; 15BSPM X 10BSPF; 850mm<br>0.85m L x 0.022m OD | 0.2kg  |                 |  |  |
| RT15MF900    | RISER; 15BSPM X 10BSPF; 900mm<br>0.9m L x 0.022m OD  | 0.2kg  |                 |  |  |
| RT15MF950    | RISER; 15BSPM X 10BSPF; 950mm<br>0.95m L x 0.022m OD | 0.2kg  |                 |  |  |
| RT15MF1000   | RISER; 15BSPM X 10BSPF; 1000mm<br>1m L x 0.022m OD   | 0.2kg  |                 |  |  |
| RT15MF1100   | RISER; 15BSPM X 10BSPF; 1100mm<br>1.1m L x 0.022m OD | 0.3kg  |                 |  |  |
| RT15MF1200   | RISER; 15BSPM X 10BSPF; 1200mm<br>1.2m L x 0.022m OD | 0.3kg  |                 |  |  |
| RT15MF1300   | RISER; 15BSPM X 10BSPF; 1300mm<br>1.3m L x 0.022m OD | 0.3kg  |                 |  |  |
| RT15MF1400   | RISER; 15BSPM X 10BSPF; 1400mm<br>1.4m L x 0.022m OD | 0.3kg  |                 |  |  |
| RT15MF1500   | RISER; 15BSPM X 10BSPF; 1500mm<br>1.5m L x 0.022m OD | 0.3kg  |                 |  |  |
| RT15MF1600   | RISER; 15BSPM X 10BSPF; 1600mm<br>1.6m L x 0.022m OD | 0.4kg  |                 |  |  |
| RT15MF1700   | RISER; 15BSPM X 10BSPF; 1700mm<br>1.7m L x 0.022m OD | 0.4kg  |                 |  |  |
| RT15MF1800   | RISER; 15BSPM X 10BSPF; 1800mm<br>1.8m L x 0.022m OD | 0.4kg  |                 |  |  |
| RT15MF1900   | RISER; 15BSPM X 10BSPF; 1900mm<br>1.9m L x 0.022m OD | 0.4kg  |                 |  |  |
| RT15MF2000   | RISER; 15BSPM X 10BSPF; 2000mm<br>2m L x 0.022m OD   | 0.4kg  |                 |  |  |
| RT15MF2100   | RISER; 15BSPM X 10BSPF; 2100mm<br>2.1m L x 0.022m OD | 0.5kg  |                 |  |  |
| RT15MF2200   | RISER; 15BSPM X 10BSPF; 2200mm<br>2.2m L x 0.022m OD | 0.5kg  |                 |  |  |
| RT15MF2300   | RISER; 15BSPM X 10BSPF; 2300mm<br>2.3m L x 0.022m OD | 0.5kg  |                 |  |  |
| RT15MF2400   | RISER; 15BSPM X 10BSPF; 2400mm<br>2.4m L x 0.022m OD | 0.5kg  |                 |  |  |
| RT15MF2500   | RISER; 15BSPM X 10BSPF; 2500mm<br>2.5m L x 0.022m OD | 0.5kg  |                 |  |  |
| RT15MF2600   | RISER; 15BSPM X 10BSPF; 2600mm<br>2.6m L x 0.022m OD | 0.5kg  |                 |  |  |
| RT15MF2700   | RISER; 15BSPM X 10BSPF; 2700mm<br>2.7m L x 0.022m OD | 0.6kg  |                 |  |  |
| RT15MF2800   | RISER; 15BSPM X 10BSPF; 2800mm<br>2.8m L x 0.022m OD | 0.6kg  |                 |  |  |
| RT15MF2900   | RISER; 15BSPM X 10BSPF; 2900mm<br>2.9m L x 0.022m OD | 0.6kg  |                 |  |  |
| RT15MF3000   | RISER; 15BSPM X 10BSPF; 3000mm<br>3m L x 0.022m OD   | 0.6kg  |                 |  |  |

SPECIAL RISER LENGTHS - will be priced at the next longest riser price.  
Minimum order of 10 of any special riser size



**DM Plastics & Steel Pty Ltd** ABN: 95 572 173 975  
**Ph 08 8360 5777 Fax 08 8349 5431**  
 Web [www.dmplastics.com.au](http://www.dmplastics.com.au) Email [sales@dmplastics.com.au](mailto:sales@dmplastics.com.au)




The suitability for use should be determined by Users according to their individual circumstances. All dimensions and weights provided are nominal

## 15mm THREADED POLPRO RISERS

10 BSPF X 10 BSPF

4.1.3

Rigid Polypropylene Riser tube with tapered 10mm (3/8") BSP Female thread both ends.



| PRODUCT CODE | DESCRIPTION                                          | Wt. kg | LIST    |  |  |
|--------------|------------------------------------------------------|--------|---------|--|--|
|              | Nominal pack size                                    |        | exc GST |  |  |
| RT15FF150    | RISER; 10BSPF X 10BSPF; 150mm<br>0.15m L x 0.022m OD | 0.1kg  |         |  |  |
| RT15FF200    | RISER; 10BSPF X 10BSPF; 200mm<br>0.2m L x 0.022m OD  | 0.1kg  |         |  |  |
| RT15FF250    | RISER; 10BSPF X 10BSPF; 250mm<br>0.25m L x 0.022m OD | 0.1kg  |         |  |  |
| RT15FF300    | RISER; 10BSPF X 10BSPF; 300mm<br>0.3m L x 0.022m OD  | 0.1kg  |         |  |  |
| RT15FF350    | RISER; 10BSPF X 10BSPF; 350mm<br>0.35m L x 0.022m OD | 0.1kg  |         |  |  |
| RT15FF400    | RISER; 10BSPF X 10BSPF; 400mm<br>0.4m L x 0.022m OD  | 0.1kg  |         |  |  |
| RT15FF450    | RISER; 10BSPF X 10BSPF; 450mm<br>0.45m L x 0.022m OD | 0.1kg  |         |  |  |
| RT15FF500    | RISER; 10BSPF X 10BSPF; 500mm<br>0.5m L x 0.022m OD  | 0.1kg  |         |  |  |
| RT15FF550    | RISER; 10BSPF X 10BSPF; 550mm<br>0.55m L x 0.022m OD | 0.2kg  |         |  |  |
| RT15FF600    | RISER; 10BSPF X 10BSPF; 600mm<br>0.6m L x 0.022m OD  | 0.2kg  |         |  |  |
| RT15FF650    | RISER; 10BSPF X 10BSPF; 650mm<br>0.65m L x 0.022m OD | 0.2kg  |         |  |  |
| RT15FF700    | RISER; 10BSPF X 10BSPF; 700mm<br>0.7m L x 0.022m OD  | 0.2kg  |         |  |  |
| RT15FF750    | RISER; 10BSPF X 10BSPF; 750mm<br>0.75m L x 0.022m OD | 0.2kg  |         |  |  |
| RT15FF800    | RISER; 10BSPF X 10BSPF; 800mm<br>0.8m L x 0.022m OD  | 0.2kg  |         |  |  |
| RT15FF850    | RISER; 10BSPF X 10BSPF; 850mm<br>0.85m L x 0.022m OD | 0.2kg  |         |  |  |
| RT15FF900    | RISER; 10BSPF X 10BSPF; 900mm<br>0.9m L x 0.022m OD  | 0.2kg  |         |  |  |
| RT15FF950    | RISER; 10BSPF X 10BSPF; 950mm<br>0.95m L x 0.022m OD | 0.2kg  |         |  |  |
| RT15FF1000   | RISER; 10BSPF X 10BSPF; 1000mm<br>1m L x 0.022m OD   | 0.2kg  |         |  |  |
| RT15FF1100   | RISER; 10BSPF X 10BSPF; 1100mm<br>1.1m L x 0.022m OD | 0.3kg  |         |  |  |
| RT15FF1200   | RISER; 10BSPF X 10BSPF; 1200mm<br>1.2m L x 0.022m OD | 0.3kg  |         |  |  |
| RT15FF1300   | RISER; 10BSPF X 10BSPF; 1300mm<br>1.3m L x 0.022m OD | 0.3kg  |         |  |  |
| RT15FF1400   | RISER; 10BSPF X 10BSPF; 1400mm<br>1.4m L x 0.022m OD | 0.3kg  |         |  |  |
| RT15FF1500   | RISER; 10BSPF X 10BSPF; 1500mm<br>1.5m L x 0.022m OD | 0.3kg  |         |  |  |
| RT15FF1600   | RISER; 10BSPF X 10BSPF; 1600mm<br>1.6m L x 0.022m OD | 0.4kg  |         |  |  |
| RT15FF1700   | RISER; 10BSPF X 10BSPF; 1700mm<br>1.7m L x 0.022m OD | 0.4kg  |         |  |  |
| RT15FF1800   | RISER; 10BSPF X 10BSPF; 1800mm<br>1.8m L x 0.022m OD | 0.4kg  |         |  |  |
| RT15FF1900   | RISER; 10BSPF X 10BSPF; 1900mm<br>1.9m L x 0.022m OD | 0.4kg  |         |  |  |
| RT15FF2000   | RISER; 10BSPF X 10BSPF; 2000mm<br>2m L x 0.022m OD   | 0.4kg  |         |  |  |
| RT15FF2100   | RISER; 10BSPF X 10BSPF; 2100mm<br>2.1m L x 0.022m OD | 0.5kg  |         |  |  |
| RT15FF2200   | RISER; 10BSPF X 10BSPF; 2200mm<br>2.2m L x 0.022m OD | 0.5kg  |         |  |  |
| RT15FF2300   | RISER; 10BSPF X 10BSPF; 2300mm<br>2.3m L x 0.022m OD | 0.5kg  |         |  |  |
| RT15FF2400   | RISER; 10BSPF X 10BSPF; 2400mm<br>2.4m L x 0.022m OD | 0.5kg  |         |  |  |
| RT15FF2500   | RISER; 10BSPF X 10BSPF; 2500mm<br>2.5m L x 0.022m OD | 0.5kg  |         |  |  |
| RT15FF2600   | RISER; 10BSPF X 10BSPF; 2600mm<br>2.6m L x 0.022m OD | 0.5kg  |         |  |  |
| RT15FF2700   | RISER; 10BSPF X 10BSPF; 2700mm<br>2.7m L x 0.022m OD | 0.6kg  |         |  |  |
| RT15FF2800   | RISER; 10BSPF X 10BSPF; 2800mm<br>2.8m L x 0.022m OD | 0.6kg  |         |  |  |
| RT15FF2900   | RISER; 10BSPF X 10BSPF; 2900mm<br>2.9m L x 0.022m OD | 0.6kg  |         |  |  |
| RT15FF3000   | RISER; 10BSPF X 10BSPF; 3000mm<br>3m L x 0.022m OD   | 0.6kg  |         |  |  |

SPECIAL RISER LENGTHS - will be priced at the next longest riser price.  
Minimum order of 10 of any special riser size



**DM Plastics & Steel Pty Ltd** ABN: 95 572 173 975  
**Ph 08 8360 5777 Fax 08 8349 5431**  
**Web www.dmplastics.com.au Email sales@dmplastics.com.au**



The suitability for use should be determined by Users according to their individual circumstances. All dimensions and weights provided are nominal

## 20mm THREADED POLPRO RISERS

20 BSPM X 20 BSPM

4.2.1

Rigid Polypropylene Riser tube with tapered 20mm (3/4") BSP Male thread on both ends



| PRODUCT CODE | DESCRIPTION                                          | Wt kg | LIST<br>exc GST |  |  |
|--------------|------------------------------------------------------|-------|-----------------|--|--|
|              | <i>Nominal pack size</i>                             |       |                 |  |  |
| RT20MM150    | RISER; 20BSPM X 20BSPM; 150mm<br>0.15m L x 0.027m OD | 0.1kg |                 |  |  |
| RT20MM200    | RISER; 20BSPM X 20BSPM; 200mm<br>0.2m L x 0.027m OD  | 0.1kg |                 |  |  |
| RT20MM250    | RISER; 20BSPM X 20BSPM; 250mm<br>0.25m L x 0.027m OD | 0.1kg |                 |  |  |
| RT20MM300    | RISER; 20BSPM X 20BSPM; 300mm<br>0.3m L x 0.027m OD  | 0.1kg |                 |  |  |
| RT20MM350    | RISER; 20BSPM X 20BSPM; 350mm<br>0.35m L x 0.027m OD | 0.2kg |                 |  |  |
| RT20MM400    | RISER; 20BSPM X 20BSPM; 400mm<br>0.4m L x 0.027m OD  | 0.2kg |                 |  |  |
| RT20MM450    | RISER; 20BSPM X 20BSPM; 450mm<br>0.45m L x 0.027m OD | 0.2kg |                 |  |  |
| RT20MM500    | RISER; 20BSPM X 20BSPM; 500mm<br>0.5m L x 0.027m OD  | 0.2kg |                 |  |  |
| RT20MM550    | RISER; 20BSPM X 20BSPM; 550mm<br>0.55m L x 0.027m OD | 0.2kg |                 |  |  |
| RT20MM600    | RISER; 20BSPM X 20BSPM; 600mm<br>0.6m L x 0.027m OD  | 0.2kg |                 |  |  |
| RT20MM650    | RISER; 20BSPM X 20BSPM; 650mm<br>0.65m L x 0.027m OD | 0.2kg |                 |  |  |
| RT20MM700    | RISER; 20BSPM X 20BSPM; 700mm<br>0.7m L x 0.027m OD  | 0.3kg |                 |  |  |
| RT20MM750    | RISER; 20BSPM X 20BSPM; 750mm<br>0.75m L x 0.027m OD | 0.3kg |                 |  |  |
| RT20MM800    | RISER; 20BSPM X 20BSPM; 800mm<br>0.8m L x 0.027m OD  | 0.3kg |                 |  |  |
| RT20MM850    | RISER; 20BSPM X 20BSPM; 850mm<br>0.85m L x 0.027m OD | 0.3kg |                 |  |  |
| RT20MM900    | RISER; 20BSPM X 20BSPM; 900mm<br>0.9m L x 0.027m OD  | 0.3kg |                 |  |  |
| RT20MM950    | RISER; 20BSPM X 20BSPM; 950mm<br>0.95m L x 0.027m OD | 0.3kg |                 |  |  |
| RT20MM1000   | RISER; 20BSPM X 20BSPM; 1000mm<br>1m L x 0.027m OD   | 0.4kg |                 |  |  |
| RT20MM1100   | RISER; 20BSPM X 20BSPM; 1100mm<br>1.1m L x 0.027m OD | 0.4kg |                 |  |  |
| RT20MM1200   | RISER; 20BSPM X 20BSPM; 1200mm<br>1.2m L x 0.027m OD | 0.4kg |                 |  |  |
| RT20MM1300   | RISER; 20BSPM X 20BSPM; 1300mm<br>1.3m L x 0.027m OD | 0.4kg |                 |  |  |
| RT20MM1400   | RISER; 20BSPM X 20BSPM; 1400mm<br>1.4m L x 0.027m OD | 0.5kg |                 |  |  |
| RT20MM1500   | RISER; 20BSPM X 20BSPM; 1500mm<br>1.5m L x 0.027m OD | 0.5kg |                 |  |  |
| RT20MM1600   | RISER; 20BSPM X 20BSPM; 1600mm<br>1.6m L x 0.027m OD | 0.5kg |                 |  |  |
| RT20MM1700   | RISER; 20BSPM X 20BSPM; 1700mm<br>1.7m L x 0.027m OD | 0.6kg |                 |  |  |
| RT20MM1800   | RISER; 20BSPM X 20BSPM; 1800mm<br>1.8m L x 0.027m OD | 0.6kg |                 |  |  |
| RT20MM1900   | RISER; 20BSPM X 20BSPM; 1900mm<br>1.9m L x 0.027m OD | 0.6kg |                 |  |  |
| RT20MM2000   | RISER; 20BSPM X 20BSPM; 2000mm<br>2m L x 0.027m OD   | 0.7kg |                 |  |  |
| RT20MM2100   | RISER; 20BSPM X 20BSPM; 2100mm<br>2.1m L x 0.027m OD | 0.7kg |                 |  |  |
| RT20MM2200   | RISER; 20BSPM X 20BSPM; 2200mm<br>2.2m L x 0.027m OD | 0.7kg |                 |  |  |
| RT20MM2300   | RISER; 20BSPM X 20BSPM; 2300mm<br>2.3m L x 0.027m OD | 0.7kg |                 |  |  |
| RT20MM2400   | RISER; 20BSPM X 20BSPM; 2400mm<br>2.4m L x 0.027m OD | 0.8kg |                 |  |  |
| RT20MM2500   | RISER; 20BSPM X 20BSPM; 2500mm<br>2.5m L x 0.027m OD | 0.8kg |                 |  |  |
| RT20MM2600   | RISER; 20BSPM X 20BSPM; 2600mm<br>2.6m L x 0.027m OD | 0.8kg |                 |  |  |
| RT20MM2700   | RISER; 20BSPM X 20BSPM; 2700mm<br>2.7m L x 0.027m OD | 0.9kg |                 |  |  |
| RT20MM2800   | RISER; 20BSPM X 20BSPM; 2800mm<br>2.8m L x 0.027m OD | 0.9kg |                 |  |  |
| RT20MM2900   | RISER; 20BSPM X 20BSPM; 2900mm<br>2.9m L x 0.027m OD | 0.9kg |                 |  |  |
| RT20MM3000   | RISER; 20BSPM X 20BSPM; 3000mm<br>3m L x 0.027m OD   | 1kg   |                 |  |  |

SPECIAL RISER LENGTHS - will be priced at the next longest riser price.  
Minimum order of 10 of any special riser size



**DM Plastics & Steel Pty Ltd** ABN: 95 572 173 975  
**Ph 08 8360 5777 Fax 08 8349 5431**  
 Web [www.dmplastics.com.au](http://www.dmplastics.com.au) Email [sales@dmplastics.com.au](mailto:sales@dmplastics.com.au)



The suitability for use should be determined by Users according to their individual circumstances. All dimensions and weights provided are nominal

## 20mm THREADED POLPRO RISERS

20 BSPM X 15 BSPF

4.2.2

Rigid Polypropylene Riser tube with tapered 20mm (3/4") BSP Male thread one end and 15mm (1/2") BSP Female thread the other.



| PRODUCT CODE | DESCRIPTION<br><i>Nominal pack size</i>              | Wt kg | LIST<br>exc GST |  |  |
|--------------|------------------------------------------------------|-------|-----------------|--|--|
| RT20MF150    | RISER; 20BSPM X 15BSPF; 150mm<br>0.15m L x 0.027m OD | 0.1kg |                 |  |  |
| RT20MF200    | RISER; 20BSPM X 15BSPF; 200mm<br>0.2m L x 0.027m OD  | 0.1kg |                 |  |  |
| RT20MF250    | RISER; 20BSPM X 15BSPF; 250mm<br>0.25m L x 0.027m OD | 0.1kg |                 |  |  |
| RT20MF300    | RISER; 20BSPM X 15BSPF; 300mm<br>0.3m L x 0.027m OD  | 0.1kg |                 |  |  |
| RT20MF350    | RISER; 20BSPM X 15BSPF; 350mm<br>0.35m L x 0.027m OD | 0.2kg |                 |  |  |
| RT20MF400    | RISER; 20BSPM X 15BSPF; 400mm<br>0.4m L x 0.027m OD  | 0.2kg |                 |  |  |
| RT20MF450    | RISER; 20BSPM X 15BSPF; 450mm<br>0.45m L x 0.027m OD | 0.2kg |                 |  |  |
| RT20MF500    | RISER; 20BSPM X 15BSPF; 500mm<br>0.5m L x 0.027m OD  | 0.2kg |                 |  |  |
| RT20MF550    | RISER; 20BSPM X 15BSPF; 550mm<br>0.55m L x 0.027m OD | 0.2kg |                 |  |  |
| RT20MF600    | RISER; 20BSPM X 15BSPF; 600mm<br>0.6m L x 0.027m OD  | 0.2kg |                 |  |  |
| RT20MF650    | RISER; 20BSPM X 15BSPF; 650mm<br>0.65m L x 0.027m OD | 0.2kg |                 |  |  |
| RT20MF700    | RISER; 20BSPM X 15BSPF; 700mm<br>0.7m L x 0.027m OD  | 0.3kg |                 |  |  |
| RT20MF750    | RISER; 20BSPM X 15BSPF; 750mm<br>0.75m L x 0.027m OD | 0.3kg |                 |  |  |
| RT20MF800    | RISER; 20BSPM X 15BSPF; 800mm<br>0.8m L x 0.027m OD  | 0.3kg |                 |  |  |
| RT20MF850    | RISER; 20BSPM X 15BSPF; 850mm<br>0.85m L x 0.027m OD | 0.3kg |                 |  |  |
| RT20MF900    | RISER; 20BSPM X 15BSPF; 900mm<br>0.9m L x 0.027m OD  | 0.3kg |                 |  |  |
| RT20MF950    | RISER; 20BSPM X 15BSPF; 950mm<br>0.95m L x 0.027m OD | 0.3kg |                 |  |  |
| RT20MF1000   | RISER; 20BSPM X 15BSPF; 1000mm<br>1m L x 0.027m OD   | 0.4kg |                 |  |  |
| RT20MF1100   | RISER; 20BSPM X 15BSPF; 1100mm<br>1.1m L x 0.027m OD | 0.4kg |                 |  |  |
| RT20MF1200   | RISER; 20BSPM X 15BSPF; 1200mm<br>1.2m L x 0.027m OD | 0.4kg |                 |  |  |
| RT20MF1300   | RISER; 20BSPM X 15BSPF; 1300mm<br>1.3m L x 0.027m OD | 0.4kg |                 |  |  |
| RT20MF1400   | RISER; 20BSPM X 15BSPF; 1400mm<br>1.4m L x 0.027m OD | 0.5kg |                 |  |  |
| RT20MF1500   | RISER; 20BSPM X 15BSPF; 1500mm<br>1.5m L x 0.027m OD | 0.5kg |                 |  |  |
| RT20MF1600   | RISER; 20BSPM X 15BSPF; 1600mm<br>1.6m L x 0.027m OD | 0.5kg |                 |  |  |
| RT20MF1700   | RISER; 20BSPM X 15BSPF; 1700mm<br>1.7m L x 0.027m OD | 0.6kg |                 |  |  |
| RT20MF1800   | RISER; 20BSPM X 15BSPF; 1800mm<br>1.8m L x 0.027m OD | 0.6kg |                 |  |  |
| RT20MF1900   | RISER; 20BSPM X 15BSPF; 1900mm<br>1.9m L x 0.027m OD | 0.6kg |                 |  |  |
| RT20MF2000   | RISER; 20BSPM X 15BSPF; 2000mm<br>2m L x 0.027m OD   | 0.7kg |                 |  |  |
| RT20MF2100   | RISER; 20BSPM X 15BSPF; 2100mm<br>2.1m L x 0.027m OD | 0.7kg |                 |  |  |
| RT20MF2200   | RISER; 20BSPM X 15BSPF; 2200mm<br>2.2m L x 0.027m OD | 0.7kg |                 |  |  |
| RT20MF2300   | RISER; 20BSPM X 15BSPF; 2300mm<br>2.3m L x 0.027m OD | 0.7kg |                 |  |  |
| RT20MF2400   | RISER; 20BSPM X 15BSPF; 2400mm<br>2.4m L x 0.027m OD | 0.8kg |                 |  |  |
| RT20MF2500   | RISER; 20BSPM X 15BSPF; 2500mm<br>2.5m L x 0.027m OD | 0.8kg |                 |  |  |
| RT20MF2600   | RISER; 20BSPM X 15BSPF; 2600mm<br>2.6m L x 0.027m OD | 0.8kg |                 |  |  |
| RT20MF2700   | RISER; 20BSPM X 15BSPF; 2700mm<br>2.7m L x 0.027m OD | 0.9kg |                 |  |  |
| RT20MF2800   | RISER; 20BSPM X 15BSPF; 2800mm<br>2.8m L x 0.027m OD | 0.9kg |                 |  |  |
| RT20MF2900   | RISER; 20BSPM X 15BSPF; 2900mm<br>2.9m L x 0.027m OD | 0.9kg |                 |  |  |
| RT20MF3000   | RISER; 20BSPM X 15BSPF; 3000mm<br>3m L x 0.027m OD   | 1kg   |                 |  |  |

SPECIAL RISER LENGTHS - will be priced at the next longest riser price.  
Minimum order of 10 of any special riser size



**DM Plastics & Steel Pty Ltd** ABN: 95 572 173 975  
**Ph 08 8360 5777 Fax 08 8349 5431**  
**Web [www.dmplastics.com.au](http://www.dmplastics.com.au) Email [sales@dmplastics.com.au](mailto:sales@dmplastics.com.au)**



The suitability for use should be determined by Users according to their individual circumstances. All dimensions and weights provided are nominal

**20mm THREADED POLPRO RISERS****15 BSPF X 15 BSPF****4.2.3**

Rigid Polypropylene Riser tube with tapered 15mm (1/2") BSP Female thread on both ends

| PRODUCT CODE | DESCRIPTION                                          | Wt kg | LIST<br>exc GST |  |  |
|--------------|------------------------------------------------------|-------|-----------------|--|--|
|              | <i>Nominal pack size</i>                             |       |                 |  |  |
| RT20FF150    | RISER; 15BSPF X 15BSPF; 150mm<br>0.15m L x 0.027m OD | 0.1kg |                 |  |  |
| RT20FF200    | RISER; 15BSPF X 15BSPF; 200mm<br>0.2m L x 0.027m OD  | 0.1kg |                 |  |  |
| RT20FF250    | RISER; 15BSPF X 15BSPF; 250mm<br>0.25m L x 0.027m OD | 0.1kg |                 |  |  |
| RT20FF300    | RISER; 15BSPF X 15BSPF; 300mm<br>0.3m L x 0.027m OD  | 0.1kg |                 |  |  |
| RT20FF350    | RISER; 15BSPF X 15BSPF; 350mm<br>0.35m L x 0.027m OD | 0.2kg |                 |  |  |
| RT20FF400    | RISER; 15BSPF X 15BSPF; 400mm<br>0.4m L x 0.027m OD  | 0.2kg |                 |  |  |
| RT20FF450    | RISER; 15BSPF X 15BSPF; 450mm<br>0.45m L x 0.027m OD | 0.2kg |                 |  |  |
| RT20FF500    | RISER; 15BSPF X 15BSPF; 500mm<br>0.5m L x 0.027m OD  | 0.2kg |                 |  |  |
| RT20FF550    | RISER; 15BSPF X 15BSPF; 550mm<br>0.55m L x 0.027m OD | 0.2kg |                 |  |  |
| RT20FF600    | RISER; 15BSPF X 15BSPF; 600mm<br>0.6m L x 0.027m OD  | 0.2kg |                 |  |  |
| RT20FF650    | RISER; 15BSPF X 15BSPF; 650mm<br>0.65m L x 0.027m OD | 0.2kg |                 |  |  |
| RT20FF700    | RISER; 15BSPF X 15BSPF; 700mm<br>0.7m L x 0.027m OD  | 0.3kg |                 |  |  |
| RT20FF750    | RISER; 15BSPF X 15BSPF; 750mm<br>0.75m L x 0.027m OD | 0.3kg |                 |  |  |
| RT20FF800    | RISER; 15BSPF X 15BSPF; 800mm<br>0.8m L x 0.027m OD  | 0.3kg |                 |  |  |
| RT20FF850    | RISER; 15BSPF X 15BSPF; 850mm<br>0.85m L x 0.027m OD | 0.3kg |                 |  |  |
| RT20FF900    | RISER; 15BSPF X 15BSPF; 900mm<br>0.9m L x 0.027m OD  | 0.3kg |                 |  |  |
| RT20FF950    | RISER; 15BSPF X 15BSPF; 950mm<br>0.95m L x 0.027m OD | 0.3kg |                 |  |  |
| RT20FF1000   | RISER; 15BSPF X 15BSPF; 1000mm<br>1m L x 0.027m OD   | 0.4kg |                 |  |  |
| RT20FF1100   | RISER; 15BSPF X 15BSPF; 1100mm<br>1.1m L x 0.027m OD | 0.4kg |                 |  |  |
| RT20FF1200   | RISER; 15BSPF X 15BSPF; 1200mm<br>1.2m L x 0.027m OD | 0.4kg |                 |  |  |
| RT20FF1300   | RISER; 15BSPF X 15BSPF; 1300mm<br>1.3m L x 0.027m OD | 0.4kg |                 |  |  |
| RT20FF1400   | RISER; 15BSPF X 15BSPF; 1400mm<br>1.4m L x 0.027m OD | 0.5kg |                 |  |  |
| RT20FF1500   | RISER; 15BSPF X 15BSPF; 1500mm<br>1.5m L x 0.027m OD | 0.5kg |                 |  |  |
| RT20FF1600   | RISER; 15BSPF X 15BSPF; 1600mm<br>1.6m L x 0.027m OD | 0.5kg |                 |  |  |
| RT20FF1700   | RISER; 15BSPF X 15BSPF; 1700mm<br>1.7m L x 0.027m OD | 0.6kg |                 |  |  |
| RT20FF1800   | RISER; 15BSPF X 15BSPF; 1800mm<br>1.8m L x 0.027m OD | 0.6kg |                 |  |  |
| RT20FF1900   | RISER; 15BSPF X 15BSPF; 1900mm<br>1.9m L x 0.027m OD | 0.6kg |                 |  |  |
| RT20FF2000   | RISER; 15BSPF X 15BSPF; 2000mm<br>2m L x 0.027m OD   | 0.7kg |                 |  |  |
| RT20FF2100   | RISER; 15BSPF X 15BSPF; 2100mm<br>2.1m L x 0.027m OD | 0.7kg |                 |  |  |
| RT20FF2200   | RISER; 15BSPF X 15BSPF; 2200mm<br>2.2m L x 0.027m OD | 0.7kg |                 |  |  |
| RT20FF2300   | RISER; 15BSPF X 15BSPF; 2300mm<br>2.3m L x 0.027m OD | 0.7kg |                 |  |  |
| RT20FF2400   | RISER; 15BSPF X 15BSPF; 2400mm<br>2.4m L x 0.027m OD | 0.8kg |                 |  |  |
| RT20FF2500   | RISER; 15BSPF X 15BSPF; 2500mm<br>2.5m L x 0.027m OD | 0.8kg |                 |  |  |
| RT20FF2600   | RISER; 15BSPF X 15BSPF; 2600mm<br>2.6m L x 0.027m OD | 0.8kg |                 |  |  |
| RT20FF2700   | RISER; 15BSPF X 15BSPF; 2700mm<br>2.7m L x 0.027m OD | 0.9kg |                 |  |  |
| RT20FF2800   | RISER; 15BSPF X 15BSPF; 2800mm<br>2.8m L x 0.027m OD | 0.9kg |                 |  |  |
| RT20FF2900   | RISER; 15BSPF X 15BSPF; 2900mm<br>2.9m L x 0.027m OD | 0.9kg |                 |  |  |
| RT20FF3000   | RISER; 15BSPF X 15BSPF; 3000mm<br>3m L x 0.027m OD   | 1kg   |                 |  |  |

SPECIAL RISER LENGTHS - will be priced at the next longest riser price.  
Minimum order of 10 of any special riser size



**DM Plastics & Steel Pty Ltd** ABN: 95 572 173 975  
**Ph 08 8360 5777 Fax 08 8349 5431**  
**Web www.dmplastics.com.au Email sales@dmplastics.com.au**



The suitability for use should be determined by Users according to their individual circumstances. All dimensions and weights provided are nominal

## 25mm THREADED POLPRO RISERS

25 BSPM X 25 BSPM

4.3.1

Rigid Polypropylene Riser tube with tapered 25mm (1") BSP Male thread on both ends



| PRODUCT CODE | DESCRIPTION                                          | Wt kg | LIST    |  |  |
|--------------|------------------------------------------------------|-------|---------|--|--|
|              | <i>Nominal pack size</i>                             |       | exc GST |  |  |
| RT25MM150    | RISER; 25BSPM X 25BSPM; 150mm<br>0.15m L x 0.034m OD | 0.1kg |         |  |  |
| RT25MM200    | RISER; 25BSPM X 25BSPM; 200mm<br>0.2m L x 0.034m OD  | 0.1kg |         |  |  |
| RT25MM250    | RISER; 25BSPM X 25BSPM; 250mm<br>0.25m L x 0.034m OD | 0.2kg |         |  |  |
| RT25MM300    | RISER; 25BSPM X 25BSPM; 300mm<br>0.3m L x 0.034m OD  | 0.2kg |         |  |  |
| RT25MM350    | RISER; 25BSPM X 25BSPM; 350mm<br>0.35m L x 0.034m OD | 0.2kg |         |  |  |
| RT25MM400    | RISER; 25BSPM X 25BSPM; 400mm<br>0.4m L x 0.034m OD  | 0.2kg |         |  |  |
| RT25MM450    | RISER; 25BSPM X 25BSPM; 450mm<br>0.45m L x 0.034m OD | 0.2kg |         |  |  |
| RT25MM500    | RISER; 25BSPM X 25BSPM; 500mm<br>0.5m L x 0.034m OD  | 0.3kg |         |  |  |
| RT25MM550    | RISER; 25BSPM X 25BSPM; 550mm<br>0.55m L x 0.034m OD | 0.3kg |         |  |  |
| RT25MM600    | RISER; 25BSPM X 25BSPM; 600mm<br>0.6m L x 0.034m OD  | 0.3kg |         |  |  |
| RT25MM650    | RISER; 25BSPM X 25BSPM; 650mm<br>0.65m L x 0.034m OD | 0.3kg |         |  |  |
| RT25MM700    | RISER; 25BSPM X 25BSPM; 700mm<br>0.7m L x 0.034m OD  | 0.4kg |         |  |  |
| RT25MM750    | RISER; 25BSPM X 25BSPM; 750mm<br>0.75m L x 0.034m OD | 0.4kg |         |  |  |
| RT25MM800    | RISER; 25BSPM X 25BSPM; 800mm<br>0.8m L x 0.034m OD  | 0.4kg |         |  |  |
| RT25MM850    | RISER; 25BSPM X 25BSPM; 850mm<br>0.85m L x 0.034m OD | 0.4kg |         |  |  |
| RT25MM900    | RISER; 25BSPM X 25BSPM; 900mm<br>0.9m L x 0.034m OD  | 0.4kg |         |  |  |
| RT25MM950    | RISER; 25BSPM X 25BSPM; 950mm<br>0.95m L x 0.034m OD | 0.5kg |         |  |  |
| RT25MM1000   | RISER; 25BSPM X 25BSPM; 1000mm<br>1m L x 0.034m OD   | 0.5kg |         |  |  |
| RT25MM1100   | RISER; 25BSPM X 25BSPM; 1100mm<br>1.1m L x 0.034m OD | 0.5kg |         |  |  |
| RT25MM1200   | RISER; 25BSPM X 25BSPM; 1200mm<br>1.2m L x 0.034m OD | 0.6kg |         |  |  |
| RT25MM1300   | RISER; 25BSPM X 25BSPM; 1300mm<br>1.3m L x 0.034m OD | 0.6kg |         |  |  |
| RT25MM1400   | RISER; 25BSPM X 25BSPM; 1400mm<br>1.4m L x 0.034m OD | 0.7kg |         |  |  |
| RT25MM1500   | RISER; 25BSPM X 25BSPM; 1500mm<br>1.5m L x 0.034m OD | 0.7kg |         |  |  |
| RT25MM1600   | RISER; 25BSPM X 25BSPM; 1600mm<br>1.6m L x 0.034m OD | 0.8kg |         |  |  |
| RT25MM1700   | RISER; 25BSPM X 25BSPM; 1700mm<br>1.7m L x 0.034m OD | 0.8kg |         |  |  |
| RT25MM1800   | RISER; 25BSPM X 25BSPM; 1800mm<br>1.8m L x 0.034m OD | 0.8kg |         |  |  |
| RT25MM1900   | RISER; 25BSPM X 25BSPM; 1900mm<br>1.9m L x 0.034m OD | 0.9kg |         |  |  |
| RT25MM2000   | RISER; 25BSPM X 25BSPM; 2000mm<br>2m L x 0.034m OD   | 0.9kg |         |  |  |
| RT25MM2100   | RISER; 25BSPM X 25BSPM; 2100mm<br>2.1m L x 0.034m OD | 1kg   |         |  |  |
| RT25MM2200   | RISER; 25BSPM X 25BSPM; 2200mm<br>2.2m L x 0.034m OD | 1kg   |         |  |  |
| RT25MM2300   | RISER; 25BSPM X 25BSPM; 2300mm<br>2.3m L x 0.034m OD | 1.1kg |         |  |  |
| RT25MM2400   | RISER; 25BSPM X 25BSPM; 2400mm<br>2.4m L x 0.034m OD | 1.1kg |         |  |  |
| RT25MM2500   | RISER; 25BSPM X 25BSPM; 2500mm<br>2.5m L x 0.034m OD | 1.1kg |         |  |  |
| RT25MM2600   | RISER; 25BSPM X 25BSPM; 2600mm<br>2.6m L x 0.034m OD | 1.2kg |         |  |  |
| RT25MM2700   | RISER; 25BSPM X 25BSPM; 2700mm<br>2.7m L x 0.034m OD | 1.2kg |         |  |  |
| RT25MM2800   | RISER; 25BSPM X 25BSPM; 2800mm<br>2.8m L x 0.034m OD | 1.3kg |         |  |  |
| RT25MM2900   | RISER; 25BSPM X 25BSPM; 2900mm<br>2.9m L x 0.034m OD | 1.3kg |         |  |  |
| RT25MM3000   | RISER; 25BSPM X 25BSPM; 3000mm<br>3m L x 0.034m OD   | 1.4kg |         |  |  |

SPECIAL RISER LENGTHS - will be priced at the next longest riser price.  
Minimum order of 10 of any special riser size



**DM Plastics & Steel Pty Ltd** ABN: 95 572 173 975  
**Ph 08 8360 5777 Fax 08 8349 5431**  
**Web [www.dmplastics.com.au](http://www.dmplastics.com.au) Email [sales@dmplastics.com.au](mailto:sales@dmplastics.com.au)**



The suitability for use should be determined by Users according to their individual circumstances. All dimensions and weights provided are nominal

## 25mm THREADED POLPRO RISERS

25 BSPM X 20 BSPF

4.3.2

Rigid Polypropylene Riser tube with tapered 25mm (1") BSP Male thread one end and 20mm (¾") BSP Female thread the other.



| PRODUCT CODE | DESCRIPTION                                          | Wt kg   | LIST |  |  |
|--------------|------------------------------------------------------|---------|------|--|--|
|              | Nominal pack size                                    | exc GST |      |  |  |
| RT25MF150    | RISER; 25BSPM X 20BSPF; 150mm<br>0.15m L x 0.034m OD | 0.1kg   |      |  |  |
| RT25MF200    | RISER; 25BSPM X 20BSPF; 200mm<br>0.2m L x 0.034m OD  | 0.1kg   |      |  |  |
| RT25MF250    | RISER; 25BSPM X 20BSPF; 250mm<br>0.25m L x 0.034m OD | 0.2kg   |      |  |  |
| RT25MF300    | RISER; 25BSPM X 20BSPF; 300mm<br>0.3m L x 0.034m OD  | 0.2kg   |      |  |  |
| RT25MF350    | RISER; 25BSPM X 20BSPF; 350mm<br>0.35m L x 0.034m OD | 0.2kg   |      |  |  |
| RT25MF400    | RISER; 25BSPM X 20BSPF; 400mm<br>0.4m L x 0.034m OD  | 0.2kg   |      |  |  |
| RT25MF450    | RISER; 25BSPM X 20BSPF; 450mm<br>0.45m L x 0.034m OD | 0.2kg   |      |  |  |
| RT25MF500    | RISER; 25BSPM X 20BSPF; 500mm<br>0.5m L x 0.034m OD  | 0.3kg   |      |  |  |
| RT25MF550    | RISER; 25BSPM X 20BSPF; 550mm<br>0.55m L x 0.034m OD | 0.3kg   |      |  |  |
| RT25MF600    | RISER; 25BSPM X 20BSPF; 600mm<br>0.6m L x 0.034m OD  | 0.3kg   |      |  |  |
| RT25MF650    | RISER; 25BSPM X 20BSPF; 650mm<br>0.65m L x 0.034m OD | 0.3kg   |      |  |  |
| RT25MF700    | RISER; 25BSPM X 20BSPF; 700mm<br>0.7m L x 0.034m OD  | 0.4kg   |      |  |  |
| RT25MF750    | RISER; 25BSPM X 20BSPF; 750mm<br>0.75m L x 0.034m OD | 0.4kg   |      |  |  |
| RT25MF800    | RISER; 25BSPM X 20BSPF; 800mm<br>0.8m L x 0.034m OD  | 0.4kg   |      |  |  |
| RT25MF850    | RISER; 25BSPM X 20BSPF; 850mm<br>0.85m L x 0.034m OD | 0.4kg   |      |  |  |
| RT25MF900    | RISER; 25BSPM X 20BSPF; 900mm<br>0.9m L x 0.034m OD  | 0.4kg   |      |  |  |
| RT25MF950    | RISER; 25BSPM X 20BSPF; 950mm<br>0.95m L x 0.034m OD | 0.5kg   |      |  |  |
| RT25MF1000   | RISER; 25BSPM X 20BSPF; 1000mm<br>1m L x 0.034m OD   | 0.5kg   |      |  |  |
| RT25MF1100   | RISER; 25BSPM X 20BSPF; 1100mm<br>1.1m L x 0.034m OD | 0.5kg   |      |  |  |
| RT25MF1200   | RISER; 25BSPM X 20BSPF; 1200mm<br>1.2m L x 0.034m OD | 0.6kg   |      |  |  |
| RT25MF1300   | RISER; 25BSPM X 20BSPF; 1300mm<br>1.3m L x 0.034m OD | 0.6kg   |      |  |  |
| RT25MF1400   | RISER; 25BSPM X 20BSPF; 1400mm<br>1.4m L x 0.034m OD | 0.7kg   |      |  |  |
| RT25MF1500   | RISER; 25BSPM X 20BSPF; 1500mm<br>1.5m L x 0.034m OD | 0.7kg   |      |  |  |
| RT25MF1600   | RISER; 25BSPM X 20BSPF; 1600mm<br>1.6m L x 0.034m OD | 0.8kg   |      |  |  |
| RT25MF1700   | RISER; 25BSPM X 20BSPF; 1700mm<br>1.7m L x 0.034m OD | 0.8kg   |      |  |  |
| RT25MF1800   | RISER; 25BSPM X 20BSPF; 1800mm<br>1.8m L x 0.034m OD | 0.8kg   |      |  |  |
| RT25MF1900   | RISER; 25BSPM X 20BSPF; 1900mm<br>1.9m L x 0.034m OD | 0.9kg   |      |  |  |
| RT25MF2000   | RISER; 25BSPM X 20BSPF; 2000mm<br>2m L x 0.034m OD   | 0.9kg   |      |  |  |
| RT25MF2100   | RISER; 25BSPM X 20BSPF; 2100mm<br>2.1m L x 0.034m OD | 1kg     |      |  |  |
| RT25MF2200   | RISER; 25BSPM X 20BSPF; 2200mm<br>2.2m L x 0.034m OD | 1kg     |      |  |  |
| RT25MF2300   | RISER; 25BSPM X 20BSPF; 2300mm<br>2.3m L x 0.034m OD | 1.1kg   |      |  |  |
| RT25MF2400   | RISER; 25BSPM X 20BSPF; 2400mm<br>2.4m L x 0.034m OD | 1.1kg   |      |  |  |
| RT25MF2500   | RISER; 25BSPM X 20BSPF; 2500mm<br>2.5m L x 0.034m OD | 1.1kg   |      |  |  |
| RT25MF2600   | RISER; 25BSPM X 20BSPF; 2600mm<br>2.6m L x 0.034m OD | 1.2kg   |      |  |  |
| RT25MF2700   | RISER; 25BSPM X 20BSPF; 2700mm<br>2.7m L x 0.034m OD | 1.2kg   |      |  |  |
| RT25MF2800   | RISER; 25BSPM X 20BSPF; 2800mm<br>2.8m L x 0.034m OD | 1.3kg   |      |  |  |
| RT25MF2900   | RISER; 25BSPM X 20BSPF; 2900mm<br>2.9m L x 0.034m OD | 1.3kg   |      |  |  |
| RT25MF3000   | RISER; 25BSPM X 20BSPF; 3000mm<br>3m L x 0.034m OD   | 1.4kg   |      |  |  |

SPECIAL RISER LENGTHS - will be priced at the next longest riser price.  
Minimum order of 10 of any special riser size



**DM Plastics & Steel Pty Ltd** ABN: 95 572 173 975  
**Ph 08 8360 5777 Fax 08 8349 5431**  
 Web [www.dmplastics.com.au](http://www.dmplastics.com.au) Email [sales@dmplastics.com.au](mailto:sales@dmplastics.com.au)



The suitability for use should be determined by Users according to their individual circumstances. All dimensions and weights provided are nominal

**25mm THREADED POLPRO RISERS****20 BSPF X 20 BSPF****4.3.3**

Rigid Polypropylene Riser tube with tapered 20mm (¾") BSP Female thread both ends.



| PRODUCT CODE | DESCRIPTION                                          | Wt. kg | LIST    |  |  |
|--------------|------------------------------------------------------|--------|---------|--|--|
|              | <i>Nominal pack size</i>                             |        | exc GST |  |  |
| RT25FF150    | RISER; 20BSPF X 20BSPF; 150mm<br>0.15m L x 0.034m OD | 0.1kg  |         |  |  |
| RT25FF200    | RISER; 20BSPF X 20BSPF; 200mm<br>0.2m L x 0.034m OD  | 0.1kg  |         |  |  |
| RT25FF250    | RISER; 20BSPF X 20BSPF; 250mm<br>0.25m L x 0.034m OD | 0.2kg  |         |  |  |
| RT25FF300    | RISER; 20BSPF X 20BSPF; 300mm<br>0.3m L x 0.034m OD  | 0.2kg  |         |  |  |
| RT25FF350    | RISER; 20BSPF X 20BSPF; 350mm<br>0.35m L x 0.034m OD | 0.2kg  |         |  |  |
| RT25FF400    | RISER; 20BSPF X 20BSPF; 400mm<br>0.4m L x 0.034m OD  | 0.2kg  |         |  |  |
| RT25FF450    | RISER; 20BSPF X 20BSPF; 450mm<br>0.45m L x 0.034m OD | 0.2kg  |         |  |  |
| RT25FF500    | RISER; 20BSPF X 20BSPF; 500mm<br>0.5m L x 0.034m OD  | 0.3kg  |         |  |  |
| RT25FF550    | RISER; 20BSPF X 20BSPF; 550mm<br>0.55m L x 0.034m OD | 0.3kg  |         |  |  |
| RT25FF600    | RISER; 20BSPF X 20BSPF; 600mm<br>0.6m L x 0.034m OD  | 0.3kg  |         |  |  |
| RT25FF650    | RISER; 20BSPF X 20BSPF; 650mm<br>0.65m L x 0.034m OD | 0.3kg  |         |  |  |
| RT25FF700    | RISER; 20BSPF X 20BSPF; 700mm<br>0.7m L x 0.034m OD  | 0.4kg  |         |  |  |
| RT25FF750    | RISER; 20BSPF X 20BSPF; 750mm<br>0.75m L x 0.034m OD | 0.4kg  |         |  |  |
| RT25FF800    | RISER; 20BSPF X 20BSPF; 800mm<br>0.8m L x 0.034m OD  | 0.4kg  |         |  |  |
| RT25FF850    | RISER; 20BSPF X 20BSPF; 850mm<br>0.85m L x 0.034m OD | 0.4kg  |         |  |  |
| RT25FF900    | RISER; 20BSPF X 20BSPF; 900mm<br>0.9m L x 0.034m OD  | 0.4kg  |         |  |  |
| RT25FF950    | RISER; 20BSPF X 20BSPF; 950mm<br>0.95m L x 0.034m OD | 0.5kg  |         |  |  |
| RT25FF1000   | RISER; 20BSPF X 20BSPF; 1000mm<br>1m L x 0.034m OD   | 0.5kg  |         |  |  |
| RT25FF1100   | RISER; 20BSPF X 20BSPF; 1100mm<br>1.1m L x 0.034m OD | 0.5kg  |         |  |  |
| RT25FF1200   | RISER; 20BSPF X 20BSPF; 1200mm<br>1.2m L x 0.034m OD | 0.6kg  |         |  |  |
| RT25FF1300   | RISER; 20BSPF X 20BSPF; 1300mm<br>1.3m L x 0.034m OD | 0.6kg  |         |  |  |
| RT25FF1400   | RISER; 20BSPF X 20BSPF; 1400mm<br>1.4m L x 0.034m OD | 0.7kg  |         |  |  |
| RT25FF1500   | RISER; 20BSPF X 20BSPF; 1500mm<br>1.5m L x 0.034m OD | 0.7kg  |         |  |  |
| RT25FF1600   | RISER; 20BSPF X 20BSPF; 1600mm<br>1.6m L x 0.034m OD | 0.8kg  |         |  |  |
| RT25FF1700   | RISER; 20BSPF X 20BSPF; 1700mm<br>1.7m L x 0.034m OD | 0.8kg  |         |  |  |
| RT25FF1800   | RISER; 20BSPF X 20BSPF; 1800mm<br>1.8m L x 0.034m OD | 0.8kg  |         |  |  |
| RT25FF1900   | RISER; 20BSPF X 20BSPF; 1900mm<br>1.9m L x 0.034m OD | 0.9kg  |         |  |  |
| RT25FF2000   | RISER; 20BSPF X 20BSPF; 2000mm<br>2m L x 0.034m OD   | 0.9kg  |         |  |  |
| RT25FF2100   | RISER; 20BSPF X 20BSPF; 2100mm<br>2.1m L x 0.034m OD | 1kg    |         |  |  |
| RT25FF2200   | RISER; 20BSPF X 20BSPF; 2200mm<br>2.2m L x 0.034m OD | 1kg    |         |  |  |
| RT25FF2300   | RISER; 20BSPF X 20BSPF; 2300mm<br>2.3m L x 0.034m OD | 1.1kg  |         |  |  |
| RT25FF2400   | RISER; 20BSPF X 20BSPF; 2400mm<br>2.4m L x 0.034m OD | 1.1kg  |         |  |  |
| RT25FF2500   | RISER; 20BSPF X 20BSPF; 2500mm<br>2.5m L x 0.034m OD | 1.1kg  |         |  |  |
| RT25FF2600   | RISER; 20BSPF X 20BSPF; 2600mm<br>2.6m L x 0.034m OD | 1.2kg  |         |  |  |
| RT25FF2700   | RISER; 20BSPF X 20BSPF; 2700mm<br>2.7m L x 0.034m OD | 1.2kg  |         |  |  |
| RT25FF2800   | RISER; 20BSPF X 20BSPF; 2800mm<br>2.8m L x 0.034m OD | 1.3kg  |         |  |  |
| RT25FF2900   | RISER; 20BSPF X 20BSPF; 2900mm<br>2.9m L x 0.034m OD | 1.3kg  |         |  |  |
| RT25FF3000   | RISER; 20BSPF X 20BSPF; 3000mm<br>3m L x 0.034m OD   | 1.4kg  |         |  |  |

SPECIAL RISER LENGTHS - will be priced at the next longest riser price.  
Minimum order of 10 of any special riser size



**DM Plastics & Steel Pty Ltd** ABN: 95 572 173 975  
**Ph 08 8360 5777 Fax 08 8349 5431**  
 Web [www.dmplastics.com.au](http://www.dmplastics.com.au) Email [sales@dmplastics.com.au](mailto:sales@dmplastics.com.au)



The suitability for use should be determined by Users according to their individual circumstances. All dimensions and weights provided are nominal

**32mm THREADED POLPRO RISERS****32BSPM X 32BSPM****4.4.1**

Rigid Polypropylene Riser tube with tapered 32mm (1¼") BSP Male thread on both ends

| PRODUCT CODE | DESCRIPTION<br><i>Nominal pack size</i>              | Wt kg | LIST<br>exc GST |  |  |
|--------------|------------------------------------------------------|-------|-----------------|--|--|
| RT32MM300    | RISER; 32BSPM X 32BSPM; 300mm<br>0.3m L x 0.043m OD  | 0.2kg |                 |  |  |
| RT32MM400    | RISER; 32BSPM X 32BSPM; 400mm<br>0.4m L x 0.043m OD  | 0.3kg |                 |  |  |
| RT32MM450    | RISER; 32BSPM X 32BSPM; 450mm<br>0.45m L x 0.043m OD | 0.3kg |                 |  |  |
| RT32MM600    | RISER; 32BSPM X 32BSPM; 600mm<br>0.6m L x 0.043m OD  | 0.4kg |                 |  |  |
| RT32MM900    | RISER; 32BSPM X 32BSPM; 900mm<br>0.9m L x 0.043m OD  | 0.5kg |                 |  |  |
| RT32MM1200   | RISER; 32BSPM X 32BSPM; 1200mm<br>1.2m L x 0.043m OD | 0.7kg |                 |  |  |
| RT32MM3000   | RISER; 32BSPM X 32BSPM; 3000mm<br>3m L x 0.043m OD   | 1.6kg |                 |  |  |
| RT32MM6000   | RISER; 32BSPM X 32BSPM; 6000mm<br>6m L x 0.043m OD   | 3.2kg |                 |  |  |

**40mm THREADED POLPRO RISERS****40BSPM X 40BSPM****4.5.1**

Rigid Polypropylene Riser tube with tapered 40mm (1½") BSP Male thread on both ends

| PRODUCT CODE | DESCRIPTION<br><i>Nominal pack size</i>              | Wt kg | LIST<br>exc GST |  |  |
|--------------|------------------------------------------------------|-------|-----------------|--|--|
| RT40MM300    | RISER; 40BSPM X 40BSPM; 300mm<br>0.3m L x 0.049m OD  | 0.3kg |                 |  |  |
| RT40MM400    | RISER; 40BSPM X 40BSPM; 400mm<br>0.4m L x 0.049m OD  | 0.3kg |                 |  |  |
| RT40MM450    | RISER; 40BSPM X 40BSPM; 450mm<br>0.45m L x 0.049m OD | 0.4kg |                 |  |  |
| RT40MM600    | RISER; 40BSPM X 40BSPM; 600mm<br>0.6m L x 0.049m OD  | 0.5kg |                 |  |  |
| RT40MM900    | RISER; 40BSPM X 40BSPM; 900mm<br>0.9m L x 0.049m OD  | 0.7kg |                 |  |  |
| RT40MM1200   | RISER; 40BSPM X 40BSPM; 1200mm<br>1.2m L x 0.049m OD | 0.9kg |                 |  |  |
| RT40MM3000   | RISER; 40BSPM X 40BSPM; 3000mm<br>3m L x 0.049m OD   | 2.1kg |                 |  |  |
| RT40MM6000   | RISER; 40BSPM X 40BSPM; 6000mm<br>6m L x 0.049m OD   | 4.2kg |                 |  |  |

**50mm THREADED POLPRO RISERS****50BSPM X 50BSPM****4.6.1**

Rigid Polypropylene Riser tube with tapered 50mm (2") BSP Male thread on both ends

| PRODUCT CODE | DESCRIPTION<br><i>Nominal pack size</i>              | Wt kg | LIST<br>exc GST |  |  |
|--------------|------------------------------------------------------|-------|-----------------|--|--|
| RT50MM300    | RISER; 50BSPM X 50BSPM; 300mm<br>0.3m L x 0.061m OD  | 0.4kg |                 |  |  |
| RT50MM400    | RISER; 50BSPM X 50BSPM; 400mm<br>0.4m L x 0.061m OD  | 0.5kg |                 |  |  |
| RT50MM450    | RISER; 50BSPM X 50BSPM; 450mm<br>0.45m L x 0.061m OD | 0.6kg |                 |  |  |
| RT50MM600    | RISER; 50BSPM X 50BSPM; 600mm<br>0.6m L x 0.061m OD  | 0.8kg |                 |  |  |
| RT50MM750    | RISER; 50BSPM X 50BSPM; 750mm<br>0.75m L x 0.061m OD | 0.9kg |                 |  |  |
| RT50MM900    | RISER; 50BSPM X 50BSPM; 900mm<br>0.9m L x 0.061m OD  | 1.1kg |                 |  |  |
| RT50MM1200   | RISER; 50BSPM X 50BSPM; 1200mm<br>1.2m L x 0.061m OD | 1.5kg |                 |  |  |
| RT50MM3000   | RISER; 50BSPM X 50BSPM; 3000mm<br>3m L x 0.061m OD   | 3.6kg |                 |  |  |
| RT50MM6000   | RISER; 50BSPM X 50BSPM; 6000mm<br>6m L x 0.061m OD   | 7.1kg |                 |  |  |

SPECIAL RISER LENGTHS - will be priced at the next longest riser price.  
Minimum order of 10 of any special riser size



**DM Plastics & Steel Pty Ltd** ABN: 95 572 173 975  
**Ph 08 8360 5777 Fax 08 8349 5431**  
 Web [www.dmplastics.com.au](http://www.dmplastics.com.au) Email [sales@dmplastics.com.au](mailto:sales@dmplastics.com.au)



The suitability for use should be determined by Users according to their individual circumstances. All dimensions and weights provided are nominal

**75mm THREADED POLPRO RISERS****75BSPM X 75BSPM****4.7.1**

Rigid Polypropylene Riser tube with tapered 75mm (3") BSP Male thread on both ends



| PRODUCT CODE | DESCRIPTION<br><i>Nominal pack size</i>              | Wt kg  | LIST<br>exc GST |  |  |
|--------------|------------------------------------------------------|--------|-----------------|--|--|
| RT75MM300    | RISER; 75BSPM X 75BSPM; 300mm<br>0.3m L x 0.061m OD  | 0.9kg  |                 |  |  |
| RT75MM400    | RISER; 75BSPM X 75BSPM; 400mm<br>0.4m L x 0.061m OD  | 1.2kg  |                 |  |  |
| RT75MM450    | RISER; 75BSPM X 75BSPM; 450mm<br>0.45m L x 0.061m OD | 1.3kg  |                 |  |  |
| RT75MM600    | RISER; 75BSPM X 75BSPM; 600mm<br>0.6m L x 0.061m OD  | 1.7kg  |                 |  |  |
| RT75MM900    | RISER; 75BSPM X 75BSPM; 900mm<br>0.9m L x 0.061m OD  | 2.6kg  |                 |  |  |
| RT75MM1000   | RISER; 75BSPM X 75BSPM; 1000mm<br>1m L x 0.061m OD   | 2.9kg  |                 |  |  |
| RT75MM1200   | RISER; 75BSPM X 75BSPM; 1200mm<br>1.2m L x 0.061m OD | 3.4kg  |                 |  |  |
| RT75MM1300   | RISER; 75BSPM X 75BSPM; 1300mm<br>1.3m L x 0.061m OD | 3.7kg  |                 |  |  |
| RT75MM1500   | RISER; 75BSPM X 75BSPM; 1500mm<br>1.5m L x 0.061m OD | 4.3kg  |                 |  |  |
| RT75MM1800   | RISER; 75BSPM X 75BSPM; 1800mm<br>1.8m L x 0.061m OD | 5.1kg  |                 |  |  |
| RT75MM2000   | RISER; 75BSPM X 75BSPM; 2000mm<br>2m L x 0.061m OD   | 5.7kg  |                 |  |  |
| WM7530       | MILL COLUMN; PP; 75BSPM X 3000mm<br>3m L x 0.088m OD | 8.5kg  |                 |  |  |
| WM7560       | MILL COLUMN; PP; 75BSPM X 6000mm<br>6m L x 0.088m OD | 16.9kg |                 |  |  |

Greyed codes are same as for Windmill columns and use Windmill column discounts

**75 SUPER HEAVY DUTY RISERS****75BSPM X 75BSPM****4.7.2**

Rigid Polypropylene Riser tube also available in super heavy duty in lengths up to 6m with 75mm (3") BSP Male thread on both ends.

SPECIAL RISER LENGTHS - will be priced at the next longest riser price.  
Minimum order of 10 of any special riser size



**DM Plastics & Steel Pty Ltd** ABN: 95 572 173 975  
**Ph 08 8360 5777 Fax 08 8349 5431**  
 Web [www.dmplastics.com.au](http://www.dmplastics.com.au) Email [sales@dmplastics.com.au](mailto:sales@dmplastics.com.au)




The suitability for use should be determined by Users according to their individual circumstances. All dimensions and weights provided are nominal

## UNTHREADED POLPRO RISER PIPE ONLY

4.10.1


Rigid Polypropylene Riser tube - UNTHREADED, in 6m lengths



| PRODUCT CODE | DESCRIPTION<br><i>Nominal pack size</i>                           | Wt kg  | LIST<br>exc GST |  |  |
|--------------|-------------------------------------------------------------------|--------|-----------------|--|--|
| PP156        | 15mm POLPRO; PLAIN; NO-THREAD; 6M<br>6m L x 0.022m OD x 0.014m ID | 1.2kg  |                 |  |  |
| PP206        | 20mm POLPRO; PLAIN; NO-THREAD; 6M<br>6m L x 0.027m OD x 0.018m ID | 1.9kg  |                 |  |  |
| PP256        | 25mm POLPRO; PLAIN; NO-THREAD; 6M<br>6m L x 0.034m OD x 0.023m ID | 2.7kg  |                 |  |  |
| PP326        | 32mm POLPRO; PLAIN; NO-THREAD; 6M<br>6m L x 0.043m OD x 0.029m ID | 3.2kg  |                 |  |  |
| PP406        | 40mm POLPRO; PLAIN; NO-THREAD; 6M<br>6m L x 0.049m OD x 0.038m ID | 4.2kg  |                 |  |  |
| PP506        | 50mm POLPRO; PLAIN; NO-THREAD; 6M<br>6m L x 0.061m OD x 0.046m ID | 7.1kg  |                 |  |  |
| PP756        | 75mm POLPRO; PLAIN; NO-THREAD; 6M<br>6m L x 0.088m OD x 0.065m ID | 16.9kg |                 |  |  |

## HEAVY &amp; ULTRA HEAVY DUTY POLPRO RISER PIPE ONLY

4.10.2

Heavy and Ultra Heavy Duty Rigid Polypropylene Riser  
Tube - in 6m lengths


| PRODUCT CODE | DESCRIPTION<br><i>Nominal pack size</i>                              | Wt kg | LIST<br>exc GST |  |  |
|--------------|----------------------------------------------------------------------|-------|-----------------|--|--|
| PPH206       | 20mm POLPRO; HEAVY-D; NO-THREAD; 6M<br>6m L x 0.027m OD x 0.013m ID  | 2.5kg |                 |  |  |
| PPH256       | 25mm POLPRO; HEAVY-D; NO-THREAD; 6M<br>6m L x 0.034m OD x 0.018m ID  | 3.6kg |                 |  |  |
| PPH326       | 32mm POLPRO; HEAVY-D; NO-THREAD; 6M<br>6m L x 0.043m OD x 0.029m ID  | 4.2kg |                 |  |  |
| PPUH206      | 20mm POLPRO; V-HEAVY-D; NO-THREAD; 6M<br>6m L x 0.027m OD x 0.01m ID | 2.8kg |                 |  |  |
| PPUH256      | 25mm POLPRO; V-HEAVY-D; NO-THREAD; 6M<br>6m L x 0.034m OD x 0.01m ID | 4.7kg |                 |  |  |



**DM Plastics & Steel Pty Ltd** ABN: 95 572 173 975  
**Ph 08 8360 5777 Fax 08 8349 5431**  
 Web [www.dmplastics.com.au](http://www.dmplastics.com.au) Email [sales@dmplastics.com.au](mailto:sales@dmplastics.com.au)



The suitability for use should be determined by Users according to their individual circumstances. All dimensions and weights provided are nominal