



VINSTAKE™ - MEDIUM DUTY 1.5mm STEEL **PLAIN BASE VINEYARD POSTS** 6.1.1



"PLAIN BASE"
No tags at ground level

Heavy GALVANISED and "Lanolin" coated to resist corrosive environments. Tags spaced at 120mm to hold trellis wires. Plain untagged base for maximum strength. **1.5mm** thick high-tensile steel medium duty posts.


PRODUCT CODE	DESCRIPTION <i>Nominal pack size</i>	Wt kg	LIST exc GST		
VSM1320P	VINSTAKE; MED-DUTY 1.5mm; 5tags; 1320mm	1.7kg			
VSM1440P	VINSTAKE; MED-DUTY 1.5mm; 6tags; 1440mm	1.9kg			
VSM1560P	VINSTAKE; MED-DUTY 1.5mm; 7tags; 1560mm	2kg			
VSM1680P	VINSTAKE; MED-DUTY 1.5mm; 8tags; 1680mm	2.2kg			
VSM1800P	VINSTAKE; MED-DUTY 1.5mm; 9tags; 1800mm	2.3kg			
VSM1920P	VINSTAKE; MED-DUTY 1.5mm; 10tags; 1920mm	2.5kg			
VSM2040P	VINSTAKE; MED-DUTY 1.5mm; 11tags; 2040mm	2.6kg			
VSM2160P	VINSTAKE; MED-DUTY 1.5mm; 12tags; 2160mm	2.8kg			
VSM2280P	VINSTAKE; MED-DUTY 1.5mm; 13tags; 2280mm	2.9kg			
VSM2400P	VINSTAKE; MED-DUTY 1.5mm; 14tags; 2400mm	3.1kg			
VSM2520P	VINSTAKE; MED-DUTY 1.5mm; 15tags; 2520mm	3.2kg			
VSM2640P	VINSTAKE; MED-DUTY 1.5mm; 16tags; 2640mm	3.4kg			
VSM2760P	VINSTAKE; MED-DUTY 1.5mm; 17tags; 2760mm	3.5kg			
VSM2880P	VINSTAKE; MED-DUTY 1.5mm; 18tags; 2880mm	3.7kg			
VSM3000P	VINSTAKE; MED-DUTY 1.5mm; 19tags; 3000mm	3.8kg			



Price each
Normally sold in bundles of 250
Minimum orders apply

Fully tagged stakes also available.


VINSTAKE™ - HEAVY DUTY 1.9mm STEEL **PLAIN BASE VINEYARD POSTS** 6.1.5



"PLAIN BASE"
No tags at ground level

Heavy GALVANISED and "Lanolin" coated to resist corrosive environments. Tags spaced at 120mm to hold trellis wires. Plain untagged base for maximum strength. **1.9mm** thick high-tensile steel standard duty posts.

PRODUCT CODE	DESCRIPTION <i>Nominal pack size</i>	Wt kg	LIST exc GST		
VSHD1320P	VINSTAKE; H-DUTY 1.9mm; 5tags; 1320mm	2.1kg			
VSHD1440P	VINSTAKE; H-DUTY 1.9mm; 6tags; 1440mm	2.3kg			
VSHD1560P	VINSTAKE; H-DUTY 1.9mm; 7tags; 1560mm	2.5kg			
VSHD1680P	VINSTAKE; H-DUTY 1.9mm; 8tags; 1680mm	2.6kg			
VSHD1800P	VINSTAKE; H-DUTY 1.9mm; 9tags; 1800mm	2.8kg			
VSHD1920P	VINSTAKE; H-DUTY 1.9mm; 10tags; 1920mm	3kg			
VSHD2040P	VINSTAKE; H-DUTY 1.9mm; 11tags; 2040mm	3.2kg			
VSHD2160P	VINSTAKE; H-DUTY 1.9mm; 12tags; 2160mm	3.4kg			
VSHD2280P	VINSTAKE; H-DUTY 1.9mm; 13tags; 2280mm	3.6kg			
VSHD2400P	VINSTAKE; H-DUTY 1.9mm; 14tags; 2400mm	3.8kg			
VSHD2520P	VINSTAKE; H-DUTY 1.9mm; 15tags; 2520mm	3.9kg			
VSHD2640P	VINSTAKE; H-DUTY 1.9mm; 16tags; 2640mm	4.1kg			
VSHD2760P	VINSTAKE; H-DUTY 1.9mm; 17tags; 2760mm	4.3kg			
VSHD2880P	VINSTAKE; H-DUTY 1.9mm; 18tags; 2880mm	4.5kg			
VSHD3000P	VINSTAKE; H-DUTY 1.9mm; 19tags; 3000mm	4.7kg			



Price each
Normally sold in bundles of 250
Minimum orders apply

NOTE : All stakes are made to order. NO returns or cancellations. Large orders may incur an upfront deposit/payment.




DM Plastics & Steel Pty Ltd ABN: 95 572 173 975
Ph 08 8360 5777 Fax 08 8349 5431
Web www.dmplastics.com.au Email sales@dmplastics.com.au




The suitability for use should be determined by Users according to their individual circumstances. All dimensions and weights provided are nominal

VINSTAKE™ EXTENSIONS 1.5mm STEEL *BOLT ON - WITH MOUNTING HOLES* **6.2.1**




VINSTAKE EXTENSION WITH HOLES. Can be screwed/bolted onto the side of a timber post using Tec Screws.

PRODUCT CODE	DESCRIPTION		LIST	exc GST		
	Nominal pack size	Wt kg				
VSM360H	VINSTAKE EXTENS'N; HOLES; 3tags; 360mm	0.5kg				
VSM480H	VINSTAKE EXTENS'N; HOLES; 4tags; 480mm	0.7kg				
VSM600H	VINSTAKE EXTENS'N; HOLES; 5tags; 600mm	0.8kg				
VSM720H	VINSTAKE EXTENS'N; HOLES; 6tags; 720mm	1kg				
VSM840H	VINSTAKE EXTENS'N; HOLES; 7tags; 840mm	1.1kg				
VSM960H	VINSTAKE EXTENS'N; HOLES; 8tags; 960mm	1.3kg				
VSM1080H	VINSTAKE EXTENS'N; HOLES; 9tags; 1080mm	1.4kg				
VSM1200H	VINSTAKE EXTENS'N; HOLES; 10tags; 1200mm	1.6kg				




Price each
Normally sold in bundles of 250
Minimum orders apply

VINSTAKE™ EXTENSIONS 1.5mm STEEL *DRIVE ON - WITHOUT HOLES* **6.2.2**




VINSTAKE EXTENSION WITHOUT HOLES. Can be forced/driven onto the top of a star type post or hammered into the top of a wooden post.

PRODUCT CODE	DESCRIPTION		LIST	exc GST		
	Nominal pack size	Wt kg				
VSM360NH	VINSTAKE EXTENS'N; NO-HOLS; 3tags; 360mm	0.5kg				
VSM480NH	VINSTAKE EXTENS'N; NO-HOLS; 4tags; 480mm	0.7kg				
VSM600NH	VINSTAKE EXTENS'N; NO-HOLS; 5tags; 600mm	0.8kg				
VSM720NH	VINSTAKE EXTENS'N; NO-HOLS; 6tags; 720mm	1kg				
VSM840NH	VINSTAKE EXTENS'N; NO-HOLS; 7tags; 840mm	1.1kg				
VSM960NH	VINSTAKE EXTENS'N; NO-HOLS; 8tags; 960mm	1.3kg				
VSM1080NH	VINSTAKE EXTENS'N; NO-HOLS; 9tags; 1080mm	1.4kg				
VSM1200NH	VINSTAKE EXTENS'N; NO-HOLS; 10tags; 1200mm	1.6kg				




Price each
Normally sold in bundles of 250
Minimum orders apply

VINSTAKE™ EXTENSIONS 1.5mm STEEL *DRIVE IN - WITH SLOTTED BASE* **6.2.3**



VINSTAKE EXTENSION SLOTTED. Allows the extension to be driven into the top of a timber post to "straddle" a wire that has been stapled into the top of the post

PRODUCT CODE	DESCRIPTION		LIST	exc GST		
	Nominal pack size	Wt kg				
VSM360S	VINSTAKE EXTENS'N; SLOT'D; 3tags; 360mm	0.5kg				
VSM480S	VINSTAKE EXTENS'N; SLOT'D; 4tags; 480mm	0.7kg				
VSM600S	VINSTAKE EXTENS'N; SLOT'D; 5tags; 600mm	0.8kg				
VSM720S	VINSTAKE EXTENS'N; SLOT'D; 6tags; 720mm	1kg				
VSM840S	VINSTAKE EXTENS'N; SLOT'D; 7tags; 840mm	1.1kg				
VSM960S	VINSTAKE EXTENS'N; SLOT'D; 8tags; 960mm	1.3kg				
VSM1080S	VINSTAKE EXTENS'N; SLOT'D; 9tags; 1080mm	1.4kg				
VSM1200S	VINSTAKE EXTENS'N; SLOT'D; 10tags; 1200mm	1.6kg				



Price each
Normally sold in bundles of 250
Minimum orders apply

NOTE : All stakes are made to order. NO returns or cancellations. Large orders may incur an upfront deposit/payment.




DM Plastics & Steel Pty Ltd ABN: 95 572 173 975
Ph 08 8360 5777 Fax 08 8349 5431
 Web www.dmplastics.com.au Email sales@dmplastics.com.au



The suitability for use should be determined by Users according to their individual circumstances. All dimensions and weights provided are nominal

POLY VINE GUARD™ - RE-USABLE (TRAINING GUARD) 6.3.2

A resilient heavy duty re-usable plastic vine training and protection system.




PRODUCT CODE	DESCRIPTION <i>Nominal pack size</i>	Wt kg	LIST		
			exc GST		
VG0900B25	POLY VINE-GUARD: 900mm -B25 0.9m L x 0.15m OD	4.6kg			
VG1200B25	POLY VINE-GUARD: 1200mm -B25 1.2m L x 0.15m OD	6.1kg			



CPWB100	C-POST CLIP: (WIRE) -B100 0.08m L x 0.15m W x 0.15m H	0.37kg			
CPWB1000	C-POST CLIP: (WIRE) -B1000 0.3m L x 0.23m W x 0.04m H	3.69kg			

"B" followed by a number eg "-B100" indicates that the price is for bundles of that quantity



bundle of 25



DM Plastics & Steel Pty Ltd ABN: 95 572 173 975
 Ph 08 8360 5777 Fax 08 8349 5431
 Web www.dmplastics.com.au Email sales@dmplastics.com.au




The suitability for use should be determined by Users according to their individual circumstances. All dimensions and weights provided are nominal

PRUDENT™ TRELLIS CLIP SYSTEM

6.4.1

Prudent Trellis System - for foliage wire lifting - vine "shoot positioning".

NOTE -50mm staple is recommended if using Trellis gun




PRODUCT CODE	DESCRIPTION	LIST		
	Nominal pack size	Wt kg	exc GST	
EPTSSC40AB2000	PRUDENT TREL'S CLIP & STAPLE 40mm -B2000 0.45m L x 0.25m W x 0.35m H	22kg		
EPTSSC50AB2000	PRUDENT TREL'S CLIP & STAPLE 50mm -B2000 0.45m L x 0.25m W x 0.35m H	25.5kg		
EPTSCB500	PRUDENT TRELLIS CLIPS ONLY -B500 0.4m L x 0.06m W x 0.25m H	1.78kg		
EPTSS50B1485	PRUDENT TRELLIS STAPLE ONLY; 50mm -B1485 0.26m L x 0.19m W x 0.26m H	15kg		
EPTSS40B1950	PRUDENT TRELLIS STAPLE ONLY; 40mm -B1950 0.26m L x 0.19m W x 0.26m H	15kg		

} Assembled

"B" followed by a number eg "- B1000" indicates that the price is for bundles of that quantity

The Prudent Trellis gun runs on air and assists in the installation of the Prudent Trellis Clips with staples.




PRODUCT CODE	DESCRIPTION	LIST		
	Nominal pack size	Wt kg	exc GST	
EPTA	PRUDENT TRELLIS GUN - ADAPTOR ONLY 0.23m L x 0.04m W x 0.16m H	0.7kg	POA	
EPTG	PRUDENT TRELLIS GUN ONLY 0.27m L x 0.07m W x 0.17m H	2.6kg		
EPTGA	PRUDENT TRELLIS GUN & ADAPTOR 0.27m L x 0.1m W x 0.17m H	3.3kg	POA	
EPTGCS	PRUDENT TRELLIS GUN - CONE SPRING 0.05m L x 0.05m W x 0.065m H	0.07kg		
EPTGRS	PRUDENT TRELLIS GUN - RETRACT SPRING 0.11m L x 0.025m W x 0.025m H	0.02kg		

POLY WIRE-TIES

TRELLIS / DRIP-LINE TIES

6.5.1



Economical plastic ties for holding drip-line to trellis wire. Tough UV resistant plastic.


PRODUCT CODE	DESCRIPTION	LIST		
	Nominal pack size	Wt kg	exc GST	
WT1016B1000	WIRE TIES; 10mm TO 16mm -B1000 0.46m L x 0.36m W x 0.075m H	2.6kg		
WT1016B4000	WIRE TIES; 10mm TO 16mm -B4000 0.45m L x 0.2m W x 0.75m H	10.4kg		
WT1925B1000	WIRE TIES; 19mm TO 25mm -B1000 0.55m L x 0.46m W x 0.08m H	4.1kg		
WT1925B2000	WIRE TIES; 19mm TO 25mm -B2000 0.45m L x 0.2m W x 0.75m H	8.2kg		
WTR1016B4000	WIRE TIES; R-HAND; 10mm TO 16mm -B4000 0.45m L x 0.2m W x 0.75m H	6.6kg		

"B" followed by a number eg "- B1000" indicates that the price is for bundles of that quantity

Also available in other colours for identification purposes. these have been used on Cattle Tails for identification


VITICULTURE SUPPORT PRODUCTS

6.9.1



PRODUCT CODE	DESCRIPTION	LIST		
	Nominal pack size	Wt kg	exc GST	
VSGUARDB1000	VINSTAKE WIRE GUARDS; -B1000 0.25m L x 0.05m W x 0.28m H	0.9kg		
VSNETCAPW	NET PROTECTOR CAPS; (WOODEN POSTS) 0.02m L x 0.125m OD	0.05kg		
VSNETCAP	NET PROTECTOR CAPS; (STEEL POSTS) 0.06m L x 0.1m OD	0.03kg		
CPDRIVER	DRIVER FOR C'SECTION PRODUCTS 0.96m L x 0.05m W x 0.26m H	12.82kg		
VSTSCREWB250	VINSTAKE TEC-SCREW; HEAVY GAL -B250	4.5kg		

"B" followed by a number eg "- B1000" indicates that the price is for bundles of that quantity



DM Plastics & Steel Pty Ltd ABN: 95 572 173 975
Ph 08 8360 5777 Fax 08 8349 5431
 Web www.dmplastics.com.au Email sales@dmplastics.com.au



The suitability for use should be determined by Users according to their individual circumstances. All dimensions and weights provided are nominal