

## METRIC JOINERS

## METRIC PIPE X METRIC PIPE

9.10.1



PRODUCT CODE	DESCRIPTION	LIST exc GST		availability
FPMJ20	METRIC JOINER; 20M 0.068kg			
FPMJ25	METRIC JOINER; 25M 0.104kg			
FPMJ32	METRIC JOINER; 32M 0.165kg			
FPMJ40	METRIC JOINER; 40M 0.3kg			
FPMJ50	METRIC JOINER; 50M 0.431kg			
FPMJ63	METRIC JOINER; 63M 0.644kg			
FPMJ75	METRIC JOINER; 75M 1.006kg			
FPMJ90	METRIC JOINER; 90M 1.67kg			
FPMJ110	METRIC JOINER; 110M 2.583kg			

## METRIC REDUCING JOINERS

## METRIC PIPE X METRIC PIPE

9.10.2



PRODUCT CODE	DESCRIPTION	LIST exc GST		availability
FPMJR2520	METRIC JOINR REDUCING; 25M X 20M 0.094kg			
FPMJR3220	METRIC JOINR REDUCING; 32M X 20M 0.132kg			NS
FPMJR3225	METRIC JOINR REDUCING; 32M X 25M 0.138kg			
FPMJR4020	METRIC JOINR REDUCING; 40M X 20M 0.192kg			NS
FPMJR4025	METRIC JOINR REDUCING; 40M X 25M 0.228kg			NS
FPMJR4032	METRIC JOINR REDUCING; 40M X 32M 0.255kg			
FPMJR5025	METRIC JOINR REDUCING; 50M X 25M 0.311kg			NS
FPMJR5032	METRIC JOINR REDUCING; 50M X 32M 0.34kg			NS
FPMJR5040	METRIC JOINR REDUCING; 50M X 40M 0.398kg			
FPMJR6325	METRIC JOINR REDUCING; 63M X 25M 0.488kg			NS
FPMJR6332	METRIC JOINR REDUCING; 63M X 32M 0.488kg			NS
FPMJR6340	METRIC JOINR REDUCING; 63M X 40M 0.537kg			NS
FPMJR6350	METRIC JOINR REDUCING; 63M X 50M 0.596kg			
FPMJR7563	METRIC JOINR REDUCING; 75M X 63M 0.906kg			
FPMJR9075	METRIC JOINR REDUCING; 90M X 75M 1.45kg			
FPMJR11063	METRIC JOINR REDUCING; 110M X 63M 1.847kg			NS
FPMJR11075	METRIC JOINR REDUCING; 110M X 75M 1.847kg			NS
FPMJR11090	METRIC JOINR REDUCING; 110M X 90M 2.292kg			

NS indicates "nominal stock" - may not be in stock, minimum order quantity may be required



HELPFUL HINTS - Call DM' for product selection and the latest product additions.



**DM Plastics & Steel Pty Ltd** ABN: 95 572 173 975  
**Ph 08 8360 5777 Fax 08 8349 5431**  
 Web [www.dmplastics.com.au](http://www.dmplastics.com.au) Email [sales@dmplastics.com.au](mailto:sales@dmplastics.com.au)



The suitability for use should be determined by Users according to their individual circumstances. All dimensions and weights provided are nominal

## METRIC MALE ADAPTORS

## METRIC PIPE X BSP MALE THREAD

9.10.3



PRODUCT CODE	DESCRIPTION	LIST exc GST		availability
FPMAM2015	METRIC ADAPTOR X MTHREAD; 20M X 15BSPM 0.039kg			NS
FPMAM2020	METRIC ADAPTOR X MTHREAD; 20M X 20BSPM 0.04kg			
FPMAM2515	METRIC ADAPTOR X MTHREAD; 25M X 15BSPM 0.061kg			NS
FPMAM2520	METRIC ADAPTOR X MTHREAD; 25M X 20BSPM 0.061kg			NS
FPMAM2525	METRIC ADAPTOR X MTHREAD; 25M X 25BSPM 0.064kg			
FPMAM3215	METRIC ADAPTOR X MTHREAD; 32M X 15BSPM 0.092kg			NS
FPMAM3220	METRIC ADAPTOR X MTHREAD; 32M X 20BSPM 0.094kg			NS
FPMAM3225	METRIC ADAPTOR X MTHREAD; 32M X 25BSPM 0.096kg			NS
FPMAM3232	METRIC ADAPTOR X MTHREAD; 32M X 32BSPM 0.102kg			
FPMAM4025	METRIC ADAPTOR X MTHREAD; 40M X 25BSPM 0.169kg			NS
FPMAM4032	METRIC ADAPTOR X MTHREAD; 40M X 32BSPM 0.174kg			NS
FPMAM4040	METRIC ADAPTOR X MTHREAD; 40M X 40BSPM 0.175kg			
FPMAM5032	METRIC ADAPTOR X MTHREAD; 50M X 32BSPM 0.251kg			NS
FPMAM5040	METRIC ADAPTOR X MTHREAD; 50M X 40BSPM 0.251kg			NS
FPMAM5050	METRIC ADAPTOR X MTHREAD; 50M X 50BSPM 0.255kg			
FPMAM6340	METRIC ADAPTOR X MTHREAD; 63M X 40BSPM 0.379kg			NS
FPMAM6350	METRIC ADAPTOR X MTHREAD; 63M X 50BSPM 0.376kg			
FPMAM7550	METRIC ADAPTOR X MTHREAD; 75M X 50BSPM 0.554kg			NS
FPMAM7575	METRIC ADAPTOR X MTHREAD; 75M X 75BSPM 0.575kg			
FPMAM90100	METRIC ADAPTOR X MTHREAD; 90M X 100BSPM 0.936kg			NS
FPMAM9050	METRIC ADAPTOR X MTHREAD; 90M X 50BSPM 0.914kg			NS
FPMAM9075	METRIC ADAPTOR X MTHREAD; 90M X 75BSPM 0.936kg			
FPMAM11050	METRIC ADAPTOR X MTHREAD; 110M X 50BSPM 1.45kg			NS
FPMAM11075	METRIC ADAPTOR X MTHREAD; 110M X 75BSPM 1.47kg			NS
FPMAM110100	METRIC ADAPTOR X MTHREAD; 110M X 100BSPM 1.47kg			

NS indicates "nominal stock" - may not be in stock, minimum order quantity may be required

**ALSO AVAILABLE**

A large range of threaded adaptors is available which will allow you to adapt one thread size to another thread size, Male to Male, Male to Female, Female to Male Female to Female

Ask when you order your fittings.



HELPFUL HINTS - Call DM' for product selection and the latest product additions.



**DM Plastics & Steel Pty Ltd** ABN: 95 572 173 975  
**Ph 08 8360 5777 Fax 08 8349 5431**  
 Web [www.dmplastics.com.au](http://www.dmplastics.com.au) Email [sales@dmplastics.com.au](mailto:sales@dmplastics.com.au)



The suitability for use should be determined by Users according to their individual circumstances. All dimensions and weights provided are nominal

## METRIC FEMALE ADAPTORS

## METRIC PIPE X BSP FEMALE THREAD

9.10.4



PRODUCT CODE	DESCRIPTION	LIST exc GST		availability
FPMAF2020	METRIC ADAPTOR X FTHREAD; 20M X 20BSPF 0.057kg			
FPMAF2520	METRIC ADAPTOR X FTHREAD; 25M X 20BSPF 0.065kg			NS
FPMAF2525	METRIC ADAPTOR X FTHREAD; 25M X 25BSPF 0.081kg			NS
FPMAF3220	METRIC ADAPTOR X FTHREAD; 32M X 20BSPF 0.1kg			
FPMAF3225	METRIC ADAPTOR X FTHREAD; 32M X 25BSPF 0.102kg			NS
FPMAF4025	METRIC ADAPTOR X FTHREAD; 40M X 25BSPF 0.173kg			NS
FPMAF4032	METRIC ADAPTOR X FTHREAD; 40M X 32BSPF 0.184kg			NS
FPMAF4040	METRIC ADAPTOR X FTHREAD; 40M X 40BSPF 0.219kg			
FPMAF5040	METRIC ADAPTOR X FTHREAD; 50M X 40BSPF 0.269kg			NS
FPMAF5050	METRIC ADAPTOR X FTHREAD; 50M X 50BSPF 0.324kg			
FPMAF6340	METRIC ADAPTOR X FTHREAD; 63M X 40BSPF 0.387kg			NS
FPMAF6350	METRIC ADAPTOR X FTHREAD; 63M X 50BSPF 0.405kg			
FPMAF7550	METRIC ADAPTOR X FTHREAD; 75M X 50BSPF 0.567kg			NS
FPMAF7575	METRIC ADAPTOR X FTHREAD; 75M X 75BSPF 0.739kg			
FPMAF9050	METRIC ADAPTOR X FTHREAD; 90M X 50BSPF 0.957kg			NS
FPMAF9075	METRIC ADAPTOR X FTHREAD; 90M X 75BSPF 0.957kg			
FPMAF90100	METRIC ADAPTOR X FTHREAD; 90M X 100BSPF 1.021kg			NS
FPMAF11050	METRIC ADAPTOR X FTHREAD; 110M X 50BSPF 1.48kg			NS
FPMAF11075	METRIC ADAPTOR X FTHREAD; 110M X 75BSPF 1.48kg			NS
FPMAF110100	METRIC ADAPTOR X FTHREAD; 110M X 100BSPF 1.46kg			

## METRIC END CAPS

## METRIC PIPE X CLOSED END

9.10.5



PRODUCT CODE	DESCRIPTION	LIST exc GST		availability
FPMCE20	METRIC END CAP; 20M 0.037kg			
FPMCE25	METRIC END CAP; 25M 0.058kg			
FPMCE32	METRIC END CAP; 32M 0.09kg			
FPMCE40	METRIC END CAP; 40M 0.163kg			
FPMCE50	METRIC END CAP; 50M 0.236kg			
FPMCE63	METRIC END CAP; 63M 0.369kg			
FPMCE75	METRIC END CAP; 75M 0.55kg			
FPMCE110	METRIC END CAP; 110M 1.433kg			

NS indicates "nominal stock" - may not be in stock, minimum order quantity may be required

**ALSO AVAILABLE**

A large range of threaded adaptors is available which will allow you to adapt one thread size to another thread size, Male to Male, Male to Female, Female to Male Female to Female

Ask when you order your fittings.



HELPFUL HINTS - Call DM' for product selection and the latest product additions.



**DM Plastics & Steel Pty Ltd** ABN: 95 572 173 975  
**Ph 08 8360 5777 Fax 08 8349 5431**  
 Web [www.dmplastics.com.au](http://www.dmplastics.com.au) Email [sales@dmplastics.com.au](mailto:sales@dmplastics.com.au)



The suitability for use should be determined by Users according to their individual circumstances. All dimensions and weights provided are nominal

**METRIC TEES**

**METRIC PIPE X METRIC PIPE X METRIC PIPE**

9.10.6



PRODUCT CODE	DESCRIPTION	LIST exc GST		availability
FPMTE20	METRIC TEE; 20M	0.104kg		
FPMTE25	METRIC TEE; 25M	0.158kg		
FPMTE32	METRIC TEE; 32M	0.258kg		
FPMTE40	METRIC TEE; 40M	0.474kg		
FPMTE50	METRIC TEE; 50M	0.705kg		
FPMTE63	METRIC TEE; 63M	1.104kg		
FPMTE75	METRIC TEE; 75M	1.638kg		
FPMTE90	METRIC TEE; 90M	2.7kg		
FPMTE110	METRIC TEE; 110M	4.167kg		
FPMTE110	METRIC TEE; 110M	4.167kg		

**METRIC REDUCING TEES**

**METRIC PIPE X METRIC PIPE X METRIC PIPE**

9.10.7



PRODUCT CODE	DESCRIPTION	LIST exc GST		availability
FPMTR2520	METRIC TEE REDUCING; 25M X 20M X 25M	0.145kg		
FPMTR3220	METRIC TEE REDUCING; 32M X 20M X 32M	0.209kg		NS
FPMTR3225	METRIC TEE REDUCING; 32M X 25M X 32M	0.231kg		
FPMTR4025	METRIC TEE REDUCING; 40M X 25M X 40M	0.371kg		
FPMTR4032	METRIC TEE REDUCING; 40M X 32M X 40M	0.41kg		
FPMTR5025	METRIC TEE REDUCING; 50M X 25M X 50M	0.511kg		NS
FPMTR5032	METRIC TEE REDUCING; 50M X 32M X 50M	0.55kg		
FPMTR5040	METRIC TEE REDUCING; 50M X 40M X 50M	0.638kg		
FPMTR6325	METRIC TEE REDUCING; 63M X 25M X 63M	0.778kg		NS
FPMTR6332	METRIC TEE REDUCING; 63M X 32M X 63M	0.778kg		
FPMTR6340	METRIC TEE REDUCING; 63M X 40M X 63M	0.848kg		
FPMTR6350	METRIC TEE REDUCING; 63M X 50M X 63M	0.96kg		
FPMTR7550	METRIC TEE REDUCING; 75M X 50M X 75M	1.304kg		
FPMTR7563	METRIC TEE REDUCING; 75M X 63M X 75M	1.47kg		
FPMTR9063	METRIC TEE REDUCING; 90M X 63M X 90M	2.154kg		
FPMTR9075	METRIC TEE REDUCING; 90M X 75M X 90M	2.383kg		
FPMTR11063	METRIC TEE REDUCING; 110M X 63M X 110M	3.044kg		

NS indicates "nominal stock" - may not be in stock, minimum order quantity may be required



HELPFUL HINTS - Call DM' for product selection and the latest product additions.



**DM Plastics & Steel Pty Ltd** ABN: 95 572 173 975  
 Ph 08 8360 5777 Fax 08 8349 5431  
 Web [www.dmplastics.com.au](http://www.dmplastics.com.au) Email [sales@dmplastics.com.au](mailto:sales@dmplastics.com.au)



The suitability for use should be determined by Users according to their individual circumstances. All dimensions and weights provided are nominal

## METRIC FEMALE THREADED TEES

## METRIC PIPE X BSP F THREAD

9.10.8



PRODUCT CODE	DESCRIPTION	LIST exc GST		availability
FPMTF2020	METRIC FTHREAD TEE:20M X 20BSPF X 20M 0.092kg			
FPMTF2520	METRIC FTHREAD TEE:25M X 20BSPF X 25M 0.131kg			
FPMTF2525	METRIC FTHREAD TEE:25M X 25BSPF X 25M 0.135kg			
FPMTF3215	METRIC FTHREAD TEE:32M X 15BSPF X 32M 0.197kg			NS
FPMTF3220	METRIC FTHREAD TEE:32M X 20BSPF X 32M 0.2kg			NS
FPMTF3225	METRIC FTHREAD TEE:32M X 25BSPF X 32M 0.208kg			
FPMTF3232	METRIC FTHREAD TEE:32M X 32BSPF X 32M 0.222kg			
FPMTF4020	METRIC FTHREAD TEE:40M X 20BSPF X 40M 0.341kg			NS
FPMTF4025	METRIC FTHREAD TEE:40M X 25BSPF X 40M 0.358kg			
FPMTF4032	METRIC FTHREAD TEE:40M X 32BSPF X 40M 0.388kg			
FPMTF4040	METRIC FTHREAD TEE:40M X 40BSPF X 40M 0.4kg			
FPMTF5020	METRIC FTHREAD TEE:50M X 20BSPF X 50M 0.491kg			NS
FPMTF5025	METRIC FTHREAD TEE:50M X 25BSPF X 50M 0.503kg			NS
FPMTF5032	METRIC FTHREAD TEE:50M X 32BSPF X 50M 0.53kg			
FPMTF5040	METRIC FTHREAD TEE:50M X 40BSPF X 50M 0.561kg			
FPMTF5050	METRIC FTHREAD TEE:50M X 50BSPF X 50M 0.579kg			
FPMTF6325	METRIC FTHREAD TEE:63M X 25BSPF X 63M 0.733kg			NS
FPMTF6332	METRIC FTHREAD TEE:63M X 32BSPF X 63M 0.769kg			NS
FPMTF6340	METRIC FTHREAD TEE:63M X 40BSPF X 63M 0.794kg			NS
FPMTF6350	METRIC FTHREAD TEE:63M X 50BSPF X 63M 0.907kg			
FPMTF7550	METRIC FTHREAD TEE:75M X 50BSPF X 75M 1.245kg			
FPMTF7575	METRIC FTHREAD TEE:75M X 75BSPF X 75M 1.362kg			
FPMTF9075	METRIC FTHREAD TEE:90M X 75BSPF X 90M 2.123kg			
FPMTF90100	METRIC FTHREAD TEE:90M X 100BSPF X 90M 2.233kg			
FPMTF11075	METRIC FTHREAD TEE:110M X 75BSPF X 110M 3.178kg			
FPMTF110100	METRIC FTHREAD TEE:110M X 100BSPF X 110M 3.25kg			

NS indicates "nominal stock" - may not be in stock, minimum order quantity may be required

### ALSO AVAILABLE

A large range of threaded adaptors is available which will allow you to adapt one thread size to another thread size, Male to Male, Male to Female, Female to Male Female to Female.

Ask when you order your fittings.



HELPFUL HINTS - Call DM' for product selection and the latest product additions.



**DM Plastics & Steel Pty Ltd** ABN: 95 572 173 975  
**Ph 08 8360 5777 Fax 08 8349 5431**  
 Web [www.dmplastics.com.au](http://www.dmplastics.com.au) Email [sales@dmplastics.com.au](mailto:sales@dmplastics.com.au)



The suitability for use should be determined by Users according to their individual circumstances. All dimensions and weights provided are nominal

## METRIC ELBOWS

## METRIC PIPE X METRIC PIPE

9.10.9



PRODUCT CODE	DESCRIPTION	LIST exc GST		availability
FPME20	METRIC ELBOW; 20M	0.07kg		
FPME25	METRIC ELBOW; 25M	0.109kg		
FPME32	METRIC ELBOW; 32M	0.174kg		
FPME40	METRIC ELBOW; 40M	0.327kg		
FPME50	METRIC ELBOW; 50M	0.471kg		
FPME63	METRIC ELBOW; 63M	0.768kg		
FPME75	METRIC ELBOW; 75M	1.093kg		
FPME90	METRIC ELBOW; 90M	1.824kg		
FPME110	METRIC ELBOW; 110M	2.8kg		

## METRIC FEMALE THREADED ELBOWS METRIC PIPE X BSP F THREAD

9.10.10



PRODUCT CODE	DESCRIPTION	LIST exc GST		availability
FPMEF2020	METRIC ELBOW X FTHREAD; 20M X 20BSPF	0.054kg		
FPMEF2520	METRIC ELBOW X FTHREAD; 25M X 20BSPF	0.08kg		NS
FPMEF2525	METRIC ELBOW X FTHREAD; 25M X 25BSPF	0.086kg		
FPMEF3220	METRIC ELBOW X FTHREAD; 32M X 20BSPF	0.126kg		NS
FPMEF3225	METRIC ELBOW X FTHREAD; 32M X 25BSPF	0.124kg		
FPMEF3232	METRIC ELBOW X FTHREAD; 32M X 32BSPF	0.141kg		
FPMEF4025	METRIC ELBOW X FTHREAD; 40M X 25BSPF	0.224kg		NS
FPMEF4032	METRIC ELBOW X FTHREAD; 40M X 32BSPF	0.234kg		
FPMEF4040	METRIC ELBOW X FTHREAD; 40M X 40BSPF	0.247kg		
FPMEF5032	METRIC ELBOW X FTHREAD; 50M X 32BSPF	0.338kg		NS
FPMEF5040	METRIC ELBOW X FTHREAD; 50M X 40BSPF	0.344kg		
FPMEF5050	METRIC ELBOW X FTHREAD; 50M X 50BSPF	0.368kg		
FPMEF6340	METRIC ELBOW X FTHREAD; 63M X 40BSPF	0.55kg		NS
FPMEF6350	METRIC ELBOW X FTHREAD; 63M X 50BSPF	0.571kg		
FPMEF7550	METRIC ELBOW X FTHREAD; 75M X 50BSPF	0.78kg		
FPMEF7575	METRIC ELBOW X FTHREAD; 75M X 75BSPF	0.806kg		
FPMEF90100	METRIC ELBOW X FTHREAD; 90M X 100BSPF	1.362kg		
FPMEF9075	METRIC ELBOW X FTHREAD; 90M X 75BSPF	1.243kg		
FPMEF110100	METRIC ELBOW X FTHREAD; 110M X 100BSPF	1.867kg		

NS indicates "nominal stock" - may not be in stock, minimum order quantity may be required

**ALSO AVAILABLE**

A large range of threaded adaptors is available which will allow you to adapt one thread size to another thread size, Male to Male, Male to Female Female to Male Female to Female.

Ask when you order your fittings.



HELPFUL HINTS - Call DM! for product selection and the latest product additions.



**DM Plastics & Steel Pty Ltd** ABN: 95 572 173 975  
 Ph 08 8360 5777 Fax 08 8349 5431  
 Web [www.dmplastics.com.au](http://www.dmplastics.com.au) Email [sales@dmplastics.com.au](mailto:sales@dmplastics.com.au)



The suitability for use should be determined by Users according to their individual circumstances. All dimensions and weights provided are nominal

## METRIC MALE THREADED ELBOWS

METRIC PIPE X BSP M THREAD

9.10.11



PRODUCT CODE	DESCRIPTION	LIST exc GST		availability
FPMEM2015	METRIC ELBOW X MTHREAD; 20M X 15BSPM 0.049kg			NS
FPMEM2020	METRIC ELBOW X MTHREAD; 20M X 20BSPM 0.047kg			
FPMEM2515	METRIC ELBOW X MTHREAD; 25M X 15BSPM 0.075kg			NS
FPMEM2520	METRIC ELBOW X MTHREAD; 25M X 20BSPM 0.075kg			NS
FPMEM2525	METRIC ELBOW X MTHREAD; 25M X 25BSPM 0.074kg			
FPMEM3220	METRIC ELBOW X MTHREAD; 32M X 20BSPM 0.122kg			NS
FPMEM3225	METRIC ELBOW X MTHREAD; 32M X 25BSPM 0.121kg			
FPMEM3232	METRIC ELBOW X MTHREAD; 32M X 32BSPM 0.125kg			
FPMEM4025	METRIC ELBOW X MTHREAD; 40M X 25BSPM 0.22kg			NS
FPMEM4032	METRIC ELBOW X MTHREAD; 40M X 32BSPM 0.226kg			
FPMEM4040	METRIC ELBOW X MTHREAD; 40M X 40BSPM 0.218kg			
FPMEM5032	METRIC ELBOW X MTHREAD; 50M X 32BSPM 0.342kg			NS
FPMEM5040	METRIC ELBOW X MTHREAD; 50M X 40BSPM 0.342kg			
FPMEM5050	METRIC ELBOW X MTHREAD; 90M X 50BSPM 0.331kg			
FPMEM6340	METRIC ELBOW X MTHREAD; 63M X 40BSPM 0.556kg			NS
FPMEM6350	METRIC ELBOW X MTHREAD; 63M X 50BSPM 0.556kg			
FPMEM6363	METRIC ELBOW X MTHREAD; 63M X 63BSPM 0.54kg			
FPMEM7550	METRIC ELBOW X MTHREAD; 75M X 50BSPM 0.77kg			
FPMEM7563	METRIC ELBOW X MTHREAD; 75M X 63BSPM 0.765kg			
FPMEM7575	METRIC ELBOW X MTHREAD; 75M X 75BSPM 0.745kg			
FPMEM9063	METRIC ELBOW X MTHREAD; 90M X 63BSPM 1.317kg			
FPMEM9075	METRIC ELBOW X MTHREAD; 90M X 75BSPM 1.308kg			
FPMEM90100	METRIC ELBOW X MTHREAD; 90M X 100BSPM 1.217kg			
FPMEM11075	METRIC ELBOW X MTHREAD; 110M X 75BSPM 2.04kg			
FPMEM110100	METRIC ELBOW X MTHREAD; 110M X 100BSPM 1.947kg			

NS indicates "nominal stock" - may not be in stock, minimum order quantity may be required

**ALSO AVAILABLE**

A large range of threaded adaptors is available which will allow you to adapt one thread size to another thread size, Male to Male, Male to Female, Female to Male Female to Female.

Ask when you order your fittings.



HELPFUL HINTS - Call DM' for product selection and the latest product additions.



**DM Plastics & Steel Pty Ltd** ABN: 95 572 173 975  
**Ph 08 8360 5777 Fax 08 8349 5431**  
 Web [www.dmplastics.com.au](http://www.dmplastics.com.au) Email [sales@dmplastics.com.au](mailto:sales@dmplastics.com.au)



The suitability for use should be determined by Users according to their individual circumstances. All dimensions and weights provided are nominal

## METRIC BOLTED SADDLES

## METRIC PIPE X BSP FEMALE THREAD

9.10.12



PRODUCT CODE	DESCRIPTION	LIST exc GST		availability
FPMSB2515	METRIC BOLTED SADDLE; 25M X 15BSPF	0.072kg		
FPMSB3215	METRIC BOLTED SADDLE; 32M X 15BSPF	0.075kg		NS
FPMSB3220	METRIC BOLTED SADDLE; 32M X 20BSPF	0.077kg		
FPMSB4015	METRIC BOLTED SADDLE; 40M X 15BSPF	0.091kg		NS
FPMSB4020	METRIC BOLTED SADDLE; 40M X 20BSPF	0.093kg		
FPMSB5015	METRIC BOLTED SADDLE; 50M X 15BSPF	0.108kg		NS
FPMSB5020	METRIC BOLTED SADDLE; 50M X 20BSPF	0.11kg		NS
FPMSB5025	METRIC BOLTED SADDLE; 50M X 25BSPF	0.113kg		
FPMSB6315	METRIC BOLTED SADDLE; 63M X 15BSPF	0.191kg		NS
FPMSB6320	METRIC BOLTED SADDLE; 63M X 20BSPF	0.193kg		NS
FPMSB6325	METRIC BOLTED SADDLE; 63M X 25BSPF	0.196kg		
FPMSB6332	METRIC BOLTED SADDLE; 63M X 32BSPF	0.229kg		
FPMSB6340	METRIC BOLTED SADDLE; 63M X 40BSPF	0.233kg		
FPMSB7515	METRIC BOLTED SADDLE; 75M X 15BSPF	0.223kg		NS
FPMSB7520	METRIC BOLTED SADDLE; 75M X 20BSPF	0.223kg		NS
FPMSB7525	METRIC BOLTED SADDLE; 75M X 25BSPF	0.227kg		
FPMSB7532	METRIC BOLTED SADDLE; 75M X 32BSPF	0.275kg		
FPMSB7540	METRIC BOLTED SADDLE; 75M X 40BSPF	0.275kg		
FPMSB7550	METRIC BOLTED SADDLE; 75M X 50BSPF	0.292kg		
FPMSB9015	METRIC BOLTED SADDLE; 90M X 15BSPF	0.249kg		NS
FPMSB9020	METRIC BOLTED SADDLE; 90M X 20BSPF	0.249kg		NS
FPMSB9025	METRIC BOLTED SADDLE; 90M X 25BSPF	0.251kg		
FPMSB9032	METRIC BOLTED SADDLE; 90M X 32BSPF	0.301kg		
FPMSB9040	METRIC BOLTED SADDLE; 90M X 40BSPF	0.304kg		
FPMSB9050	METRIC BOLTED SADDLE; 90M X 50BSPF	0.32kg		
FPMSB11015	METRIC BOLTED SADDLE; 110M X 15BSPF	0.284kg		NS
FPMSB11020	METRIC BOLTED SADDLE; 110M X 20BSPF	0.285kg		NS
FPMSB11025	METRIC BOLTED SADDLE; 110M X 25BSPF	0.288kg		
FPMSB11032	METRIC BOLTED SADDLE; 110M X 32BSPF	0.352kg		
FPMSB11040	METRIC BOLTED SADDLE; 110M X 40BSPF	0.356kg		
FPMSB11050	METRIC BOLTED SADDLE; 110M X 50BSPF	0.36kg		
FPMSB12520	METRIC BOLTED SADDLE; 125M X 20BSPF	0.372kg		
FPMSB12525	METRIC BOLTED SADDLE; 125M X 25BSPF	0.374kg		
FPMSB12532	METRIC BOLTED SADDLE; 125M X 32BSPF	0.383kg		
FPMSB12540	METRIC BOLTED SADDLE; 125M X 40BSPF	0.383kg		
FPMSB12550	METRIC BOLTED SADDLE; 125M X 50BSPF	0.397kg		

NS indicates "nominal stock" - may not be in stock, minimum order quantity may

**ALSO AVAILABLE**

A large range of threaded adaptors is available which will allow you to adapt one thread size to another thread size, Male to Male, Male to female, Female to Male Female to Female.  
Ask when you order your fittings.



**DM Plastics & Steel Pty Ltd** ABN: 95 572 173 975  
**Ph 08 8360 5777 Fax 08 8349 5431**  
 Web [www.dmplastics.com.au](http://www.dmplastics.com.au) Email [sales@dmplastics.com.au](mailto:sales@dmplastics.com.au)



The suitability for use should be determined by Users according to their individual circumstances. All dimensions and weights provided are nominal